

WISKA introduces... WIB Enclosures

With the WIB enclosure range, WISKA has combined their junction box expertise to offer a large and versatile product range.

The WIB range offers many different sizes of enclosures with many optional extras; deep lidded enclosures, clear lidded, with or without

cones as well as with or without din rails. Further features include: self retained screws made of nylon and hinged covers.

WISKA has your enclosure solution.

DLWIB

Smooth surface sealed boxes IP56 (Deep Lid)

The DLWIB range is our Deep Lid collection. The high lid assures a greater inner volume for industrial applications. Available in Clear Lid or plain.

Other technical specifications include: IP56, made from thermal resistance ABS, screw cover, soft rubber inner gasket, possibility of double insulation and a guide to fix a DIN RAIL EN 50022



WIB E

Surface sealed boxes IP55 (with cones)

The WIB E range is a surface sealed box complete with cones, 1/4 turn fast screw system and a tamper-proof seal.

Other technical specifications include: IP55 protection and an IK07 rating on impact resistance. With dimensional stability between -25 °C to +85 °C, as well as glow wire tested to 650 °C. Halogen free.



Smooth surface sealed boxes IP56

Our WIB 8-11 range is designed for larger installation projects. This range features nylon screws and on WIB 9 and 10 models a hinged lid.

Other technical specifications include: IP56, made from thermal resistance ABS, screw cover, soft rubber inner gasket, possibility of double insulation, guide to fix DIN RAIL EN 50022

(please note we also offer a 120x80x50 option in this model too)

WIB 665/ WIE

Circular surface sealed boxes IP55 (with 4 M20 cones)



WIB 665 is our circular surface sealed box, complete with 4 M20 cones. Easy opening and our WIB 665Q model features a Quick Fit System. Simply drill a hole in the wall, click pin into back of enclosure, and push through drilled hole.

Other technical specifications include: IP55 protection and an IK07 rating on impact resistance. With dimensional stability between -25 °C to +85 °C, as well as glow wire tested to 650 °C. Halogen free.

WIB 1-5

Smooth surface sealed boxes IP65 (without cones)

Our classic WIB range comes in light grey, black or with a clear lid. Featuring 1/4 turn plastic screw and a tamper-proof seal, ABS material. DIN RAIL fitted options also available.

Other technical specifications include: IP65 protection and an IK07 rating on impact resistance. With dimensional stability between -25 °C to +85 °C, as well as glow wire tested to 650 °C. Halogen free.



WIB 1-5 available in black.

WIB Lid

WIB 1-5 and WIB E enclosures include 1/4 turn fast screw system as well as 1 hinged retaining screw. Enclosures also feature a tamper-proof seal for added protection.

All other enclosures feature nylon screws. CLWIB, WIB 9, WIB 10 and DLWIB 55, 65 also feature a hinged lid.



1/4 turn fast screw system, as featured on WIB 1-5, WIB E

DIN Rail / Mounting Plates

WISKA offer several WIB enclosures complete with DIN Rail. (see Code & Size guide for options.)

As well as DIN Rails WISKA also offer various sizes of mounting plates in galvanised steel. To find out about size options contact us today or visit us online.



Mounting Plates



CLWIB 3/DR



CLWIB 4/DR

WIB Codes & Sizes

WIB 1-5, Surface sealed boxes IP65 (without cones)

Type	Light grey	Black	Clear Lid (Light Grey)	With DIN RAIL (Light Grey)	With DIN RAIL (Clear Lid)	LxBxH external (mm)	Description
WIB 1	815LH	815N	6815LH			110x110x60	1/4 turn plastic screw
WIB 2	816LH	816N	6816LH			160x120x70	1/4 turn plastic screw
WIB 3	817LH	817N	6817LH	817GLH	6817GLH	165x145x84	1/4 turn plastic screw
WIB 4	886LH	886N	6886LH	886GLH	6886GLH	230x180x88	1/4 turn plastic screw
WIB 5	887LH	887N				320x250x135	1/4 turn plastic screw

WIB 8-11, Smooth sided junction box IP56

Type	Light grey	LxBxH Internal (mm)	Description
WIB 8	EC410C7	240x190x90	Nylon screws
WIB 9	EC410C9	380x300x120	Nylon screws & hinged cover
WIB 10	EC410C10	460x380x120	Nylon screws & hinged cover
WIB 11	EC410C4R	120x80x50	Screw cover

WIB E, Surface sealed boxes IP55 (with cones)

Type	Light grey	Black	LxBxH external (mm)	Description
WIB 1/E	715		110x110x60	1/4 turn plastic screw
WIB 2/E	716		160x120x70	1/4 turn plastic screw
WIB 3/E	717		165x145x84	1/4 turn plastic screw
WIB 4/E	686		230x180x88	1/4 turn plastic screw

CLWIB, Smooth sided junction box with clear lid IP56

Type	Light grey	LxBxH Internal (mm)	Description
CLWIB 24	EC420C8	300x220x120	Nylon screws & hinged cover
CLWIB 25	EC420C9	380x300x120	Nylon screws & hinged cover
CLWIB 35	EC420C10	460x380x120	Nylon screws & hinged cover

WIB 665, Circular Surface sealed boxes IP55 (with 4 x M20 cones)

Type	Light grey	LxBxH external (mm)	Description
WIB 665	665	77x40	circular box with lid & 4 cones (M20)
WIB 665Q	665Q	77x40	circular box with quick fit system

WIB 13, Circular Surface sealed boxes IP44 (with 4 x M20 cones)

Type	Light grey	LxBxH external (mm)	Description
WIB 13 (IP 44)	EC400C2	80x40	circular box with lid & 4 cones (M20)

DLWIB, Smooth sided junction box with deep lid IP56

Type	Light grey	Clear Lid (Light Grey)	With DIN RAIL (Light Grey)	LxBxH Internal (mm)	Description
DLWIB 25	EC430C5	EC440C5		150x110x140	Metal screws
DLWIB 35	EC430C6	EC440C6	EC430C6/DR	190x140x140	Metal screws
DLWIB 45	EC430C7	EC440C7	EC430C7/DR	240x190x160	Nylon screws
DLWIB 55	EC430C8	EC440C8	EC430C8/DR	300x220x180	Nylon screws & hinged cover
DLWIB 65	EC430C9	EC440C9		380x300x180	Nylon screws & hinged cover

About WISKA

WISKA is one of the leading manufacturers of electrical equipment for trade, industry and shipbuilding, as well as maritime lighting products and CCTV camera surveillance.

Our junction boxes and cable glands are in use around the globe and are characterised by flexible applications in various industrial sectors as well as the highest quality standards.

Founded in Hamburg in 1919, the first plastic cable glands were produced as early as the mid-1920s. Since then, WISKA has become an expert partner for high-quality plastic products with its own injection moulding manufacture.

Today, the family-owned company employs over 260 people worldwide. WISKA operates its own research and development facilities and production plants at its headquarters in Germany and has a global network of representatives and subsidiaries who ensure a quick and effective on-site customer service.



WISKA UK Ltd

Unit 7 Hurling Way, St Columb Major Business Park
St Columb Major Cornwall
TR9 6SX

 +44-(0)1208 816062
 +44-(0)1208 816708

info@wiska.co.uk
www.wiska.co.uk



Scan to learn more about
WIB Enclosures, or visit us
online www.wiska.co.uk