

Customer:

Associate Professor Zhao Xun Liang
Nanyang Technological University
School of Biological Sciences
60 Nanyang Drive,
Singapore 637551

Email : ZXLiang@ntu.edu.sg
Tel : 6316 7866

Alliance System W SQD2 MS

Quotation No. 21781500 - Expiration Date : 19.08.2018

General information

209461/11513527

Provider:

Waters Pacific Pte Ltd
Joanna Ang
1 Science Park Road
#02-1/06 The Capricorn
Singapore Science Park II
Singapore 117528

Email : Joanna_Ang@Waters.com

Quotation

Alliance System W SQD2 MS

Price Details in SGD

Please reference this quotation when purchase order is issued

Itm	Part No.	Description	Unit Price	Qty	Gross Price	Disc %	Net Price
SQD 2 System							
<i>With the following configuration:</i>							
1	176002670	SQD 2	199,200.00	1	199,200.00	-50.00%	99,600.00
2	176002490	MS Ref Stds: Xevo TQD	2,509.00	1	2,509.00	-50.00%	1,254.50
3	176002669	Scroll Pump Option	17,200.00	1	17,200.00	-50.00%	8,600.00
4	176850021	Empower MS Options		1			
5	667005506	SQD2 Empower Instrument Control Software	0.03	1	0.03		0.03
6	741000319	SQD INSTALLATION CERT	15,500.00	1	15,500.00	-50.00%	7,750.00
7	750000529	On-Site MS/App Training -ROW (2 Days)	13,500.00	1	13,500.00	-50.00%	6,750.00
8	176003950	Analytical LC-MS Solvent Install Kit	2,518.00	1	2,518.00	-50.00%	1,259.00
Alliance HPLC Systems							
<i>With the following configuration:</i>							
9	176269501	e2695 Separations Module w/oSHC w/CH(BI)	76,600.00	1	76,600.00	-50.00%	38,300.00
10	176248901	2489 UV/Visible Detector	24,100.00	1	24,100.00	-50.00%	12,050.00
11	700004123	ETHERNET SWITCH COMMUNICATION KIT	1,100.00	1	1,100.00	-50.00%	550.00
12	205001029	2489 SEMI-PREP CELL	3,100.00	1	3,100.00	-50.00%	1,550.00
13	700005906	Waters HPLC Absorbance PQ Test Solutions	144.00	1	144.00	-50.00%	72.00
14	WAT066224	SYMMETRY C18 3.5U 4.6X75 COL	1,259.00	1	1,259.00	-50.00%	629.50
15	176003106	Alliance D Series Bottle Tray	1,100.00	1	1,100.00	-50.00%	550.00
16	700002045	CABLE, RS-232, 10 FT	88.00	1	88.00	-50.00%	44.00
17	205001100	KIT, GPIB, W/IEEE CABLE V2.8.1	1,600.00	1	1,600.00	-50.00%	800.00
18	176002203	Empower 3 Per Single System SW 5 Users	22,000.00	1	22,000.00	-50.00%	11,000.00
19	JWSG01234	PC	2,000.00	1	2,000.00		2,000.00
Total					383,518.03		192,759.03

Quotation

Alliance System W SQD2 MS

Price Details in SGD

Please reference this quotation when purchase order is issued

Total excluding GST		192,759.03
GST	7.00 %	13,493.13
Total		206,252.16

Joanna Ang
Account Manager

Julius Hiu
Sales Manager, Singapore

Terms of Payment

30 Days - document date

Quotation

Alliance System W SQD2 MS

Detail Product Descriptions

Itm	Part No.	Description
-----	----------	-------------

1	176002670	SQD 2
----------	------------------	--------------

The Waters SQ Detector 2 is a compact, bench-top quadrupole API mass spectrometer.

The system features automated set-up technology and fast acquisition capability for simple, rapid LC/MS.

The following items are included as part of the standard system:

Z SPRAY" API interface Dual orthogonal interface for robust LC/MS IntelliStart" fluidics#Automated tuning, calibration and method development

Electrospray (ESI) inlet probe#for efficient ionization of a wide range of compounds

ESCITM ionization capability#rapid switching source for both ESI and APCI in the same run.

TargetLynx" Application manager (requires license as provided with PC below)

OpenLynx " Application manager (requires license as provided with PC below)

The standard system does not include the following items, which must be specified separately:

Additional inlet probes and ion source options (detailed below).

Acquisition PC data system and monitor Additional Workstation data system terminals.

Printers.

Additional MassLynx" options (detailed below).

Vacuum backing pump options (rotary or oil-free combinations)

HPLC systems or other inlet options.

1. Z SPRAY" API INTERFACE

This instrument is equipped with an atmospheric pressure ionisation (API) LC interface. The source and spraying elements are visible through a transparent window in the enclosure and are easily accessible via a quick-release mechanism. The source elements may be wiped clean in situ or removed for cleaning without the need for tools and without breaking vacuum. The nebulized spray is orientated orthogonally and positioned off axis for maximum source longevity and analyser protection against 'dirty' samples. The source also includes facilities for de-clustering ions formed at atmospheric pressure. Positive and negative capability is included. Positive ion, negative ion and ESCI" capability is available as standard (allowing rapid switching between ESI and APCI, positive and negative in the same run). All source voltages and gases are under data system control.

2. INTELLISTART" FLUIDICS

The instrument is equipped with an on-board infusion system capable of delivering reference solutions from 2 built-in vial locations. The on- board fluidics system is controlled by the IntelliStart software to provide automated instrument setup, mass calibration and method development. The reference solutions are delivered via switching valves for either direct or combined (into an LC flow) infusion into the API source. The valves can in addition be programmed from the software to function as an LC flow divert. If required, the fluidics can be controlled manually via the system Console.

3. VACUUM SYSTEM

Clean, differentially pumped, automated vacuum system comprising: Air- cooled Pfeiffer split flow turbomolecular drag pump evacuating both the source & analyzer. Vacuum read backs and system vent/pump cycles are digitally monitored and controlled, to provide total software control and ensure fail-safe operation in the event of power failure.

4. DETECTOR Dynolite photomultiplier detector. A High Voltage conversion dynode and phosphor are positioned at 90° off-axis to the analyzer for the elimination of neutral noise. The photomultiplier is enclosed in its own vacuum envelope for long life. The detector operates in both positive and negative ion modes, and can switch rapidly under software digital control.

5. MASSLYNX" SOFTWARE / MS Workstation

The MS Workstation and MassLynx 4.1 License for the application softwarefor instrument control, data acquisition and processing must be ordered separately (See MS Workstation section for part numbers and descriptions)

Post acquisition processing and general data manipulation can be carried out by an additional computer workstation and software installation (See the MassLynx Process-only Workstations section of the MassLynx Variant configurator 176706000).

Quotation

Alliance System W SQD2 MS

Detail Product Descriptions

Itm	Part No.	Description
2	176002490	MS Ref Stds: Xevo TQD
3	176002669	Scroll Pump Option
4	176850021	Empower MS Options
5	667005506	SQD2 Empower Instrument Control Software
6	741000319	SQD INSTALLATION CERT SQD INSTALLATION CERT Includes: -System Set up and Performance Testing -Product Familiarization Training -1 Year Manufacturers Warranty -Insight I-Assist Remote Connection
7	750000529	On-Site MS/App Training -ROW (2 Days) On-Site MS/Application Training - ROW (2 Days)
8	176003950	Analytical LC-MS Solvent Install Kit Analytical LC-MS Solvent Install Kit The Analytical LC-MS Solvent Install Kit is intended to assist in effectively installing new LC-MS systems by minimizing sources of possible contamination. This kit includes the LC-MS Grade Solvent Kit (186008715) as well as the Waters Certified Container Kit (186007088). Additional kit components also include a formic acid additive, aqueous ammonia additive and nitrile gloves. Note: Because this is a hazardous material and GHS requirements vary from country to country, Waters Corporation is only able to ship this item to specific countries worldwide. If the destination for this order (i.e. the ship to country) is changed to a non-permitted country at any point after this quote was generated, this item will be excluded from the final order.
9	176269501	e2695 Separations Module w/oSHC w/CH(BI) The e2695 Separations Module has integrated solvent, sample management and includes a Column Heater. The system features quaternary solvent delivery and sample introduction via a direct inject sample manager. The system may be

Quotation

Alliance System W SQD2 MS

Detail Product Descriptions

Itm	Part No.	Description
-----	----------	-------------

configured for a broad range of applications supported by HPLC optical detectors and mass detectors, with a choice of instrument control and data management software.

The following items are included as part of the core system:

- e2695 Separations Module
- Integrated Degasser and Plunger Seal- wash
- Column Heater
- System Start Up Kit
- User Documentation

10	176248901	2489 UV/Visible Detector
-----------	------------------	---------------------------------

2489 UV/Visible Detector with Analytical Flowcell

Enhanced sensitivity via patented TaperSlit" flow cell, which channels light through the cell for better energy throughput while minimizing RI effects

Low noise performance (<5 µAU)

Lamp optimization for the best s/n performance over the lifetime of a Deuterium lamp

Flexible sampling rates, from 1 to 80 Hz, for normal and fast LC separations

Independent optimization of sampling rates and filter time constants gives you the ability to tune your detector to your separation goals

Enhanced thermal wander management reduces baseline wander due to fluctuations caused by ambient conditions

Flow cell options to match your separation scale and type

Accessible detector components for easy operation and maintenance

11	700004123	ETHERNET SWITCH COMMUNICATION KIT
-----------	------------------	--

12	205001029	2489 SEMI-PREP CELL
-----------	------------------	----------------------------

13	700005906	Waters HPLC Absorbance PQ Test Solutions
-----------	------------------	---

Waters HPLC Absorbance PQ Test Solution

14	WAT066224	SYMMETRY C18 3.5U 4.6X75 COL
-----------	------------------	-------------------------------------

Symmetry C18 Column, 100Å, 3.5 µm, 4.6 mm X 75 mm, 1/pkg

15	176003106	Alliance D Series Bottle Tray
-----------	------------------	--------------------------------------

[For Single or Dual detection systems]

The e2695 Separations Module solvent tray with solvent management. Includes detector drip tray and bracket for a second detector. This tray provides the capability to locate the detector directly above the column heater or column heater/cooler

Quotation

Alliance System W SQD2 MS

Detail Product Descriptions

Itm	Part No.	Description
-----	----------	-------------

thus minimizing ambient temperature effects upon column to detector flow cell tubing. The solvent tray and detector drip tray accessory kit (205001247) incorporate design features for improved tubing management. This kit supports all refreshed (blue) HPLC detectors. The detector base shall include an integrated leak management scheme applicable to any of the new designed (2013) HPLC detectors. Solvent bottle configurations can be up to (2) 4-Liter bottles, and (4) 1-Liter bottles.

16	700002045	CABLE, RS-232, 10 FT RS-232 Cable, 10ft.
----	------------------	--

17	205001100	KIT, GPIB, W/IEEE CABLE V2.8.1
----	------------------	---------------------------------------

18	176002203	Empower 3 Per Single System SW 5 Users
----	------------------	---

Empower 3 Personal Single System Software
Includes Empower 3 Base Software DVD, Empower 3 Bookshelf CD, Empower 3 Instrument Driver (ICS) Pack, Empower 3 Default Project CD, Personal Single System Base License (enables the base software, 5 users and 1 system license), Empower 3 License Management Read Me document, Empower 3 Release Notes, (Qty 1) 2 Port Instrument Control Card (NIC), (Qty 1) 8-Port Ethernet Network Switch, (Qty 4) Ethernet cables, 1-Year Personal Software Support Plan

19	JWSG01234	PC
----	------------------	-----------

Quotation

Alliance System W SQD2 MS

General Sales Terms and Conditions

1. General
Waters Pacific Pte Ltd ("Seller") hereby agrees to sell the products to buy upon the terms and conditions set forth herewith. Seller shall not be bound by any standard or printed terms furnished by the Buyer in any of its documents, unless the Buyer specifically states in writing separately from such terms that it intends such terms to apply and the Seller acknowledges such notification in writing.
2. Price
 - a. Unless otherwise agreed at the time of sale, the price stated is ex-works and exclusive of Goods & Services Tax which shall be chargeable in addition upon supply of goods.
 - b. All quotations and estimates used by Seller are, unless otherwise stated, based on current costs and are subject to amendment on or after acceptance of order by Seller to meet any rise in such costs.
 - c. Any variation to prices quoted as a result of government taxes and levies will be for the Buyer's accounts.
 - d. Written quotations automatically expire 30 calendar days from the date issued and are subject to termination by notice within that period. All orders based on written quotations are subject to Seller's acceptance at its office in 1 Science Park Road #02-01 The Capricorn, Singapore Science Park II, Singapore 117528.
3. Delivery
 - a. Stock items are processed for prompt delivery. Whilst there is no minimum order value there is a minimum charge in respect of packing, handling and delivery. Details of these charges are available on request.
 - b. Notwithstanding that the Seller and the Buyer may agree to deliver the goods at some specified place the delivery of goods to a carrier for the purpose of transmission to the Buyer is deemed to be a delivery of the goods to the Buyer and risk in the goods shall pass accordingly at the moment of delivery to the carrier.
 - c. Inspection and testing and/or installation of the goods is not provided by Seller unless otherwise agreed at the time of sale.
 - d. Seller retains ownership of the goods the property in which shall not pass to Buyer and Buyer shall keep any goods delivered to it as bailee for and on behalf of Seller until Seller has received payment of the price of all the goods (whether or not the goods are delivered in instalments and some have been paid for by Buyer pursuant to these terms) and until such time the Buyer shall store the goods separately or in some other way ensure that the goods are readily identifiable as the property of Seller and at Seller's request either shall deliver up to the goods to Seller or shall permit Seller to enter Buyer's business or other premises to repossess the goods and subsequently re-sell them.
 - e. The provisions of this clause 3(d) shall survive the determination of the contract for whatever reason.
4. Payment
 - a. Payment terms are strictly Net Cash 30 days after delivery of the goods, provided Buyer's credit has been approved or specified in the quote. If the Buyer's credit had not been established with Seller, terms are payment in advance.
 - b. All payments made by Buyer shall be made without any deduction of deferment in respect of any disputes or claims whatsoever and/or in respect of any taxes imposed by or under the authority of any government or public authority.
 - c. Where Seller does not receive payment of any of its invoices within 30 days of the date thereof interest shall thereafter accrue on the sum due and owing to Seller at the rate of 2% per month calculated on a daily basis without prejudice to Seller's right to receive payment within such 30 day period.
 - d. Time for payment shall be of the essence.
5. Confidentiality/Intellectual Property
 - a. Any order received by Seller will be treated as confidential and will not be disclosed or publicised to any third party for any reason without the prior written consent of Buyer. Neither shall Seller use Buyer's name or other identify for advertising or publicity purposes without Buyer's prior written consent.
 - b. The sale of the goods by Seller to Buyer does not confer any right or license upon buyer to use, exploit or otherwise utilise any intellectual property rights subsisting in or relating to the goods of which Seller is a proprietor or to which Seller is otherwise entitled.
6. Specifications
The characteristics and specifications of Seller's products are documented in Seller's technical literature and are approximately only Seller reserves the right to change product specifications without prior notice.
7. Cancellation
An order accepted by Seller may be cancelled only before delivery of the goods and only with the consent of Seller upon terms that Buyer will indemnify Seller against any loss incurred.
8. Return
In no case are products to be returned without first obtaining the consent of the Seller. Only unused products as currently manufactured which have been invoiced by the Seller within 30 days will be considered for return. Products accepted for credit are subject to a 20 per cent service charge plus all transportation charges. Products built to order or not of the original manufacturer of the Seller are not subject to return for credit under any circumstances. Products must be securely packed to reach the Seller without damaged. No returns shall be authorised after 90 days following shipment to buyer.
9. Warranty
The Products and/or services shall be covered by the applicable Waters' standard warranty, a copy of which is supplied with the Products and/or services or upon request. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED, IS MADE WITH RESPECT TO THE PRODUCTS AND/OR SERVICES. WATERS EXPRESSLY EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. Any model or sample furnished to the Buyer is merely illustrative of the general types and quality of goods and does not represent that the Products will conform to Waters applicable standard warranty. WATERS SHALL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR ANY OTHER INDIRECT DAMAGES RESULTING FROM ECONOMIC LOSS OR PROPERTY DAMAGE SUSTAINED BY BUYER FROM THE USE OF ITS PRODUCTS OR SERVICES.
10. Termination
 - a. It prior to the delivery of the goods (or any instalment thereof) Seller has reason to believe that Buyer is unable to pay it's debts or if Buyer enters into liquidation (other than for the purpose of effecting a reconstruction or amalgamation) whether compulsory or voluntary or compounds with or conveys a meeting of its creditors or has a receiver appointed over all or any part of its assets or takes or suffers any similar action in consequence of a debt or ceases for any reason to carry on business, Seller may terminate the contract by notice in writing to Buyer.
 - b. Termination of the contract personate to Clause 10(a) shall not effect the accrued rights of the parties arising in any way out of such contract as of the date of termination.
11. Variation
Neither Seller or Buyer shall be bound by any variation, waiver of or an addition to, those terms and conditions except as agreed by both parties in writing.
12. Time
Seller will endeavour to dispatch the products on the promised delivery date but does not guarantee to do so.
13. Force Majeure
Waters shall have no liability for failure to perform or delay in performance, in the delivery of any and all equipment manufactured or sold by Waters including instruments, supplies, components, systems, chemistry, accessories, replacement spare parts, or any and all services provided by Waters, caused by circumstances beyond its reasonable control including, but not limited to, acts of God, acts of nature, floods, fire, explosions, war or military mobilisation, United States governmental action or inaction, request of governmental authority, delays of any kind in transportation or inability to obtain material or equipment, acts of other governments, strikes or labour disturbances.
14. Law
The contract shall be deemed to have been made in Singapore and the Parties to the contract hereby submit to the jurisdiction of Singapore courts. Singapore law shall be the proper law of the contract.