

Customer:

Dr. Vee Vee Cheong
Nanyang Technological University
SPMS-CBC-03-08 (Teaching Labs)
21, Nanyang Link
Singapore 637371

Email : CH0015EE@e.ntu.edu.sg

Waters AutoPurification System

Quotation No. 21865860 - Expiration Date : 05.12.2018

General information

279284/11588270

Provider:

Waters Pacific Pte Ltd
Joanna Ang
1 Science Park Road
#02-1/06 The Capricorn
Singapore Science Park II
Singapore 117528

Email : Joanna_Ang@Waters.com

Quotation

Waters AutoPurification System

Price Details in SGD

Please reference this quotation when purchase order is issued

Itn	Part No.	Description	Unit Price	Qty	Gross Price	Disc %	Net Price
Waters AutoPurification System							
With the following configuration:							
1	176003182	AutoPurification Core System w/SFO	174,000.00	1	174,000.00	-57.80%	73,428.00
2	716000765	KIT, SAMPLE, AUTO-PURIFICATION INJECT-CO	402.00	1	402.00	-57.80%	169.64
3	716000261	STANDARD FRACTION LYNX	791.00	1	791.00	-57.80%	333.80
4	176002489	2489 UV/VISIBLE DETECTOR	24,100.00	1	24,100.00	-57.80%	10,170.20
5	176003207	ACQUITY QDa Detector (Standard)	95,700.00	1	95,700.00	-57.80%	40,385.40
6	205000437	Splitter, Flow, 1000:1, 8-30mL	6,700.00	1	6,700.00	-57.80%	2,827.40
7	176001064	FractionLynx v4.1	14,700.00	1	14,700.00	-57.80%	6,203.40
8	176001303	ML4.1 & Standard PC for AutoPurification	22,000.00	1	22,000.00	-57.80%	9,284.00
9	668000249	Lenovo L1700P 17" LCD Business Black	560.00	1	560.00	-57.80%	236.32
10	WAT207000	ASSY, HPLC PUMP, M515	14,900.00	1	14,900.00	-57.80%	6,287.80
11	205000434	Kit, AutoPurification Sol. Res. Tray	1,100.00	1	1,100.00	-57.80%	464.20
12	205000107	KIT, 27X7 2 ML VIAL PLATE INJ RACK	870.00	1	870.00	-57.80%	367.14
13	205000116	KIT 2767 13MM FRACTION COLLECTOR RACK	480.00	1	480.00	-57.80%	202.56
14	741000322	FRACTIONLYNX MS INSTALLATION CERT	19,800.00	1	19,800.00	-57.80%	8,355.60
15	750000533	On-Site Autopur Trg - ROW (3 days)	17,500.00	1	17,500.00	-57.80%	7,385.00
16	205001100	KIT, GPIB, W/IEEE CABLE V2.8.1	1,600.00	1	1,600.00	-57.80%	675.20
17	176001068	MaxEnt 1 v4.1	18,000.00	1	18,000.00	-57.80%	7,596.00
18	186003587	XBridge BEH130 Prep C18 5µm OBD 19x100mm	4,778.00	1	4,778.00	-15.00%	4,061.30
19	186000709	CARTRIDGE HOLDER PKG 19X10MM	861.00	1	861.00	-15.00%	731.85
20	186002975	XBridge Prep C18 5µm 19x10mm Guard Cart	802.00	1	802.00	-15.00%	681.70
21	186003579	XBridge BEH130 C18 5µm 4.6x100mm Column	1,446.00	2	2,892.00	-50.00%	1,446.00
Total					422,536.00		181,292.51

Quotation

Waters AutoPurification System

Price Details in SGD

Please reference this quotation when purchase order is issued

Total excluding GST		181,292.51
GST	7.00 %	12,690.48
Total		193,982.99

Joanna Ang
Account Manager

Julius Hiu
Sales Manager, Singapore

Terms of Payment

30 Days - document date

Quotation

Waters AutoPurification System

Detail Product Descriptions

Itm	Part No.	Description
1	176003182	AutoPurification Core System w/SFO The core components of the Autopurification system allow for full automation and system capabilities. The 2545BGM is designed for analytical to prep scalability with low delay volume and high pressure mixing. 2767 offers large scale fraction collection capacity and separate analytical and prep flow paths for scalability with out compromise. The SFO provides the automation with a selector valve to direct the flow through the analytical or preparative switching valves. Three analytical and two preparative columns can be plumbed for method developement. Additionally the SFO controls upto three 515 pumps for M/S make up flow, At-Column Dilution, and or solvent modifiers. An seven port ethernet hub is integrated in the SFO. Optional system leak detection capability is contolled by the SFO. The start-up kit provides the tubings and fittings needed to plumb the system. The following items are included as part of the core standard system: · 186003765 System Fluidics Organizer · 186025450 2545 Binary Gradient Module · 200000234 KIT, STARTUP, AUTOPURIFICATION SYSTEM · 725000299 2767 SAMPLE MANAGER
2	716000765	KIT, SAMPLE, AUTO-PURIFICATION INJECT-CO AutoPurification System Standard
3	716000261	STANDARD FRACTION LYNX
4	176002489	2489 UV/VISIBLE DETECTOR 2489 UV/Visible Detector Designed to provide the highest performance in UV/Visible detection, Waters® 2489 UV/Visible Detector is the most sensitive and versatile dual-wavelength absorbance detector available for HPLC. The 2489 UV/Vis Detector offers the superior sensitivity required for detection of minor impurities with the linear dynamic range to simultaneously quantitate major and minor components for both routine and complex HPLC applications.
5	176003207	ACQUITY QDa Detector (Standard) The ACQUITY QDa Detector is a mass detector designed as a synergistic element of a chromatographic separations system. Confirm compound identity with qualitative mass spectral data, complementing quantitative optical data. Quantify compounds with no UV response or at levels not accessible by optical detection. Compact for minimized lab space requirements. Integrated flow path for reduced dispersion. Adjustment-free atmospheric pressure ionisation (API) electrospray (ES) interface for reliability. Compatible with HPLC, UPLC, SFC and UPC2 flow rates of 50 ul/min # 2 ml/min. Disposable sample orifice for minimized maintenance and maximized repeatability. Positive and negative ion switching capability for enhanced compound coverage. Tool-free maintenance. Dual off-axis ion guides for elimination of neutral noise with increased sensitivity and robustness. Automated mass calibration and resolution verification for consistent data quality. Automatically-optimized single ion recording (SIR) and full scan (FS) analysis in m/z range 30-1250 for enhanced data acquisition. Orthogonal, in-vacuum Dynolite photomultiplier detector for stability, elimination of neutral noise and longevity. Clean, differentially pumped, automated vacuum system comprising air-cooled split flow turbomolecular drag pump (TMP)

Quotation

Waters AutoPurification System

Detail Product Descriptions

Item	Part No.	Description
------	----------	-------------

and integrated & quiet dry (oil-free) exhaust-free vacuum backing pump. Fail-safe operation for unattended analysis. Autosensing 100-240 V ac ((50/60 Hz).
Standard option features integrated vacuum backing pump for enhanced compactness and reduced noise & maintenance. Integrated control & data processing with Empower 3, Empower 2 & MassLynx 4.1.

6	205000437	Splitter, Flow, 1000:1, 8-30mL Flow Splitter, 8.0-30mL, 1000:1
---	-----------	--

7	176001064	FractionLynx v4.1
---	-----------	--------------------------

FractionLynx v4.1
Includes FractionLynx Software, OpenLynx Open Access Software, and 10 FractionLynx Browser licenses for data review on workstations which do not have MassLynx installed
The FractionLynx Application Manager is a high performance software application that operates with MassLynx Software. FractionLynx automates the collection of detected fractions, tracks samples and fractions, and then presents the data in an easy-to-view format via the FractionLynx Browser. FractionLynx can trigger fractions using a variety of detector signals including UV, MS, ELSD and RI.
AutoPurify, a feature of the FractionLynx Application Manager, enables users to allow the software to:
Automatically screen samples to determine the preparative strategy in an analytical-scale separation
Choose an appropriate method for each sample in a batch and purify it
Screen fractions to determine the next process step
The FractionLynx Application Manager provides a variety of collection options including:
One-to-one mapping to retain plate format
Secondary collection of peaks that are not of primary concern but that are not classified as waste
Waste collection to ensure no sample material is lost
Coupling FractionLynx with the OpenLynx OALogin interface permits operation in a walk-up and walk-away environment. Through a single-page login or step-through wizard users can submit samples for purification. Results can be e-mailed to users, viewed with the FractionLynx Browser, or printed in a customized format.
The FractionLynx package includes OpenLynx Open Access and a 10-license pack for the FractionLynx Browser.

8	176001303	ML4.1 & Standard PC for AutoPurification
---	-----------	---

ML4.1 & Standard PC for AutoPurification
MassLynx 4.1 Application Software
Multi-tasking suite of analytical applications and instrument management software operating in Microsoft Windows environment.
MassLynx includes:
Mass Spectrometer Control Software
a) Data acquisition formats.
Scan data can be acquired to file in the following formats:
Centroided data acquisition.
Profile data acquisition.
Multi Channel Analysis (MCA) data acquisition.

Quotation

Waters AutoPurification System

Detail Product Descriptions

Itm	Part No.	Description
-----	----------	-------------

b) MS acquisition functions.

The following data acquisition functions are available:

MS scanning.

MS selected ion recording.

Polarity mode switching.

Ionisation mode switching (ESCI)

External contact start/stop/events.

Analogue channel acquisition via a SATIN module.

c) Tuning Utilities.

The system features easy-to-use automated and manual tuning and calibration software tools. Tuning parameters include:

Ionisation mode and polarity.

MS acquisition.

All ion source parameters.

All lens voltages.

MS1 resolution.

MS1 ion energy.

Photo-multiplier gain.

d) Inlet Control Software

Integrated control of specific Waters LC, autosampler and detector systems

Third party LC and autosampler systems from specified vendors

e) Data processing and review:

Spectrum Review and Processing

Chromatogram Review and Processing

3-D Contour plotting

Spectral library search facilities (user defined or commercial libraries)

Batch processing of qualitative and quantitative sample sets:

OpenLynx Application Manager

OpenLynx Processing provides summary reports for groups of samples. OpenLynx methods may be configured to include:

1) Analytes found/not found.

2) Purity

3) Probable elemental composition (with Exact Mass Measurement Instrumentation)

4) Chromatograms

5) Spectra. OpenLynx reports are portable and may be viewed (read-only) with optional Browser utility without MassLynx software.

QuanLynx Application Manager

QuanLynx provides quantification of MassLynx data. QuanLynx quickly processes groups of samples, providing automated peak detection, calibration and quantification. The QuanLynx Report provides facile online data review and report printing.

QuanLynx operates within the MassLynx security system (where enabled); it includes tools to enable compliance with the FDA's guidelines on electronic records and electronic signatures (21 CFR Part 11). QuanLynx reports are portable and may be

Quotation

Waters AutoPurification System

Detail Product Descriptions

Itm	Part No.	Description
-----	----------	-------------

reviewed with optional Browser utility without MassLynx software.
The MassLynx Security Subsystem (where installed) provides a compliant-ready solution for US FDA GxP and 21 CFR 11 and other regulations.
License to operate software on one workstation.

Lenovo ThinkStation C30 with Windows 7 Professional 64
Processor: Intel® Xeon® E5-2620 Processor (2.0GHz 6c); Operating system: Windows 7 Professional 64 - bit (US English); Form factor: Tower 4x6 Mechanical; Motherboard: C30 - TPM Enabled; Total memory: 8 GB ECC PC3 UDIMM 1333MHZ (4 x 2GB); Video adapter: NVIDIA Quadro 400 (512MB DVI+DP), DVI -To - VGA Video Converter; Audio adapter: Integrated Audio; RAID: Internal RAID - Not Enabled; First hard drive bay: 2TB SATA 3.5" Hard Drive - 7200 rpm; First optical device bay: Lenovo 16x DVD +/- RW Dual Layer (Windows 7); Networking: Dual Integrated Ethernet 10/100/1000; Keyboard: Lenovo USB Preferred Pro Full Size Keyboard - US Euro; Pointing device: Lenovo Optical Wheel Mouse - USB Primax 400 DPI; Line Cord: US; Language Pack: English; System Warranty: Non-Return HDD - 3 Year Warranty US/EMEA/AP, Three year on-site warranty (parts and labour); Monitor: None; Printer: None

9	668000249	Lenovo L1700P 17" LCD Business Black
----------	------------------	---

IBM 17" Flat Panel Monitor

10	WAT207000	ASSY, HPLC PUMP, M515
-----------	------------------	------------------------------

Waters 515 HPLC Pump

11	205000434	Kit, AutoPurification Sol. Res. Tray
-----------	------------------	---

Kit, Autopur. Solv Reservoir Tray

12	205000107	KIT, 27X7 2 ML VIAL PLATE INJ RACK
-----------	------------------	---

2mL Vial Holder Plate Kit

13	205000116	KIT 2767 13MM FRACTION COLLECTOR RACK
-----------	------------------	--

Fraction Collector 13mm Rack Kit

14	741000322	FRACTIONLYNX MS INSTALLATION CERT
-----------	------------------	--

FractionLynx MS System Installation

Includes:

- System Set up and Specification Testing
- Product Familiarization Training

Quotation

Waters AutoPurification System

Detail Product Descriptions

Itm	Part No.	Description
-----	----------	-------------

-1 Year Manufacturers Warranty
-Insight I-Assist Remote Connection

15	750000533	On-Site Autopur Trg - ROW (3 days)
----	-----------	------------------------------------

16	205001100	KIT, GPIB, W/IEEE CABLE V2.8.1
----	-----------	--------------------------------

17	176001068	MaxEnt 1 v4.1
----	-----------	---------------

MaxEnt 1 v4.1

Deconvolution of multiply charged MS data to the zero charge state MaxEnt 1 is a proprietary software tool for the deconvolution of multiply charged electro-spray spectra with enhancement of spectral resolution and signal to noise. Complex biopolymer mass spectra, containing molecular ions in a related series of charge states are re-plotted into a homogenous (virtual Z = 0) charge state representation. The power of probabilistic techniques allows the inference of a single molecular mass peak from a series of multiply charged m/z peaks in the raw data. The inference improves resolution and also enhances signal to noise. MaxEnt1 is optimized for high mass species.

MaxEnt automatically finds the molecular weights of the components in a protein mixture without any knowledge other than that they lay within a specified mass range. This can be large e.g. 5-100kDa.

The reconstructed MaxEnt spectrum exhibits enhanced resolution and signal to-noise ratio. The reliability of the result can be assessed by probabilistic methods. Thus a probable error range can be calculated for each mass.

MaxEnt data are as quantitative as any ES-MS data. The areas under the peaks in the MaxEnt profile spectrum are representative of the summed intensities of each component's multiply-charged series in the original M/z data.

MaxEnt retains the mass accuracy given by Transform on components that are adequately resolved in the original data.

In addition, because of its ability to reveal resolution of peaks which is not apparent in the raw data, MaxEnt allows the mass measurement of components which were previously too poorly resolved for mass measurement in the transformed spectrum. (Requires 176001087 in USA)

18	186003587	XBridge BEH130 Prep C18 5µm OBD 19x100mm
----	-----------	--

XBridge Peptide BEH C18 OBD Prep Column, 130Å, 5 µm, 19 mm X 100 mm, 1/pkg

19	186000709	CARTRIDGE HOLDER PKG 19X10MM
----	-----------	------------------------------

Cartridge Holder, 19 x10 mm

20	186002975	XBridge Prep C18 5µm 19x10mm Guard Cart
----	-----------	---

XBridge BEH C18 Prep Guard Cartridge, 130Å, 5 µm, 19 mm X 10 mm, 1/pkg

21	186003579	XBridge BEH130 C18 5µm 4.6x100mm Column
----	-----------	---

Quotation

Waters AutoPurification System

Detail Product Descriptions

Itm Part No.

Description

XBridge Peptide BEH C18 Column, 130Å, 5 µm, 4.6 mm X 100 mm, 1/pkg

Quotation

Waters AutoPurification System

General Sales Terms and Conditions

1. General
Waters Pacific Pte Ltd ("Seller") hereby agrees to sell the products to buy upon the terms and conditions set forth herewith. Seller shall not be bound by any standard or printed terms furnished by the Buyer in any of its documents, unless the Buyer specifically states in writing separately from such terms that it intends such terms to apply and the Seller acknowledges such notification in writing.
2. Price
 - a. Unless otherwise agreed at the time of sale, the price stated is ex-works and exclusive of Goods & Services Tax which shall be chargeable in addition upon supply of goods.
 - b. All quotations and estimates used by Seller are, unless otherwise stated, based on current costs and are subject to amendment on or after acceptance of order by Seller to meet any rise in such costs.
 - c. Any variation to prices quoted as a result of government taxes and levies will be for the Buyer's accounts.
 - d. Written quotations automatically expire 30 calendar days from the date issued and are subject to termination by notice within that period. All orders based on written quotations are subject to Seller's acceptance at its office in 1 Science Park Road #02-01 The Capricorn, Singapore Science Park II, Singapore 117528.
3. Delivery
 - a. Stock items are processed for prompt delivery. Whilst there is no minimum order value there is a minimum charge in respect of packing, handling and delivery. Details of these charges are available on request.
 - b. Notwithstanding that the Seller and the Buyer may agree to deliver the goods at some specified place the delivery of goods to a carrier for the purpose of transmission to the Buyer is deemed to be a delivery of the goods to the Buyer and risk in the goods shall pass accordingly at the moment of delivery to the carrier.
 - c. Inspection and testing and/or installation of the goods is not provided by Seller unless otherwise agreed at the time of sale.
 - d. Seller retains ownership of the goods the property in which shall not pass to Buyer and Buyer shall keep any goods delivered to it as bailee for and on behalf of Seller until Seller has received payment of the price of all the goods (whether or not the goods are delivered in instalments and some have been paid for by Buyer pursuant to these terms) and until such time the Buyer shall store the goods separately or in some other way ensure that the goods are readily identifiable as the property of Seller and at Seller's request either shall deliver up to the goods to Seller or shall permit Seller to enter Buyer's business or other premises to repossess the goods and subsequently re-sell them.
 - e. The provisions of this clause 3(d) shall survive the determination of the contract for whatever reason.
4. Payment
 - a. Payment terms are strictly Net Cash 30 days after delivery of the goods, provided Buyer's credit has been approved or specified in the quote. If the Buyer's credit had not been established with Seller, terms are payment in advance.
 - b. All payments made by Buyer shall be made without any deduction of deferment in respect of any disputes or claims whatsoever and/or in respect of any taxes imposed by or under the authority of any government or public authority.
 - c. Where Seller does not receive payment of any of its invoices within 30 days of the date thereof interest shall thereafter accrue on the sum due and owing to Seller at the rate of 2% per month calculated on a daily basis without prejudice to Seller's right to receive payment within such 30 day period.
 - d. Time for payment shall be of the essence.
5. Confidentiality/Intellectual Property
 - a. Any order received by Seller will be treated as confidential and will not be disclosed or publicised to any third party for any reason without the prior written consent of Buyer. Neither shall Seller use Buyer's name or other identify for advertising or publicity purposes without Buyer's prior written consent.
 - b. The sale of the goods by Seller to Buyer does not confer any right or license upon buyer to use, exploit or otherwise utilise any intellectual property rights subsisting in or relating to the goods of which Seller is a proprietor or to which Seller is otherwise entitled.
6. Specifications
The characteristics and specifications of Seller's products are documented in Seller's technical literature and are approximately only Seller reserves the right to change product specifications without prior notice.
7. Cancellation
An order accepted by Seller may be cancelled only before delivery of the goods and only with the consent of Seller upon terms that Buyer will indemnify Seller against any loss incurred.
8. Return
In no case are products to be returned without first obtaining the consent of the Seller. Only unused products as currently manufactured which have been invoiced by the Seller within 30 days will be considered for return. Products accepted for credit are subject to a 20 per cent service charge plus all transportation charges. Products built to order or not of the original manufacturer of the Seller are not subject to return for credit under any circumstances. Products must be securely packed to reach the Seller without damaged. No returns shall be authorised after 90 days following shipment to buyer.
9. Warranty
The Products and/or services shall be covered by the applicable Waters' standard warranty, a copy of which is supplied with the Products and/or services or upon request. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED, IS MADE WITH RESPECT TO THE PRODUCTS AND/OR SERVICES. WATERS EXPRESSLY EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. Any model or sample furnished to the Buyer is merely illustrative of the general types and quality of goods and does not represent that the Products will conform to Waters applicable standard warranty. WATERS SHALL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR ANY OTHER INDIRECT DAMAGES RESULTING FROM ECONOMIC LOSS OR PROPERTY DAMAGE SUSTAINED BY BUYER FROM THE USE OF ITS PRODUCTS OR SERVICES.
10. Termination
 - a. It prior to the delivery of the goods (or any instalment thereof) Seller has reason to believe that Buyer is unable to pay it's debts or if Buyer enters into liquidation (other than for the purpose of effecting a reconstruction or amalgamation) whether compulsory or voluntary or compounds with or conveys a meeting of its creditors or has a receiver appointed over all or any part of its assets or takes or suffers any similar action in consequence of a debt or ceases for any reason to carry on business, Seller may terminate the contract by notice in writing to Buyer.
 - b. Termination of the contract personate to Clause 10(a) shall not effect the accrued rights of the parties arising in any way out of such contract as of the date of termination.
11. Variation
Neither Seller or Buyer shall be bound by any variation, waiver of or an addition to, those terms and conditions except as agreed by both parties in writing.
12. Time
Seller will endeavour to dispatch the products on the promised delivery date but does not guarantee to do so.
13. Force Majeure
Waters shall have no liability for failure to perform or delay in performance, in the delivery of any and all equipment manufactured or sold by Waters including instruments, supplies, components, systems, chemistry, accessories, replacement spare parts, or any and all services provided by Waters, caused by circumstances beyond its reasonable control including, but not limited to, acts of God, acts of nature, floods, fire, explosions, war or military mobilisation, United States governmental action or inaction, request of governmental authority, delays of any kind in transportation or inability to obtain material or equipment, acts of other governments, strikes or labour disturbances.
14. Law
The contract shall be deemed to have been made in Singapore and the Parties to the contract hereby submit to the jurisdiction of Singapore courts. Singapore law shall be the proper law of the contract.