

Customer:

Ms. Sarah Chia
Health Sciences Authority
11 Outram Road
HSA Building
Singapore 169078

Email : sarah_chia@hsa.gov.sg
Tel : 62130684

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Quotation No. 21983341 - Expiration Date : 04.05.2019

General information

111030/11840974

Provider:

Waters Pacific Pte Ltd
Joanna Ang
1 Science Park Road
#02-1/06 The Capricorn
Singapore Science Park II
Singapore 117528

Email : Joanna_Ang@Waters.com

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Price Details in SGD

Please reference this quotation when purchase order is issued

Itn	Part No.	Description	Unit Price	Qty	Gross Price	Disc %	Net Price
1	JWSG01234	Empower Workstation	2,300.00	1	2,300.00		2,300.00
ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys							
With the following configuration:							
2	176015105	ACQUITY H-Class PLUS Bio System (CH-A)	109,300.00	1	109,300.00	-30.00%	76,510.00
3	176015028	ACQUITY UPLC TUV Detector	33,200.00	1	33,200.00	-30.00%	23,240.00
4	176003208	ACQUITY QDa Detector (Performance)	104,000.00	1	104,000.00	-30.00%	72,800.00
5	176004279	ACQUITY H-Class PLUS with QDa, Kit #1	1,800.00	1	1,800.00	-30.00%	1,260.00
6	700009641	ESI PROBE ASSEMBLY 250mm	620.00	1	620.00	-30.00%	434.00
7	176003244	ISM & ACQUITY Splitter Kit	27,600.00	1	27,600.00	-30.00%	19,320.00
8	700002642	ACQUITY UPLC ABSORBANCE 10MM TEST SOL.	896.00	1	896.00	-30.00%	627.20
9	176002203	Empower 3 Per Single System SW 5 Users	22,000.00	1	22,000.00	-30.00%	15,400.00
10	741000472	QDa SYSTEM INSTALLATION CERT	7,100.00	1	7,100.00	-30.00%	4,970.00
11	750000529	On-Site MS/App Training -ROW (2 Days)	13,500.00	1	13,500.00	-30.00%	9,450.00
12	750000833	Using ACQUITY QDa with Empower	3,700.00	1	3,700.00	-30.00%	2,590.00
Total					326,016.00		228,901.20

Total excluding GST	228,901.20
----------------------------	-------------------

GST	7.00 %	16,023.08
-----	--------	-----------

Total	244,924.28
--------------	-------------------

Joanna Ang
Account Manager

Julius Hiu
Sales Manager, Singapore

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Price Details in SGD

Please reference this quotation when purchase order is issued

Terms of Payment

30 Days - document date

Shipping Information

DDP

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Optional Products

Please reference this quotation when purchase order is issued

Itm	Part No.	Description	Unit Price	Qty	Gross Price	Disc %	Net Price
13	176015030	ACQUITY UPLC PDA eLambda Detector	48,200.00	1	48,200.00	-30.00%	33,740.00

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Detail Product Descriptions

Itm	Part No.	Description
1	JWSG01234	Empower Workstation

2 176015105 ACQUITY H-Class PLUS Bio System (CH-A)

The ACQUITY UPLC H-Class PLUS Bio Core System has integrated solvent, sample and column heating configured for quaternary solvent delivery (bioQSM) and sample introduction via a direct inject sample manager (bioSM-FTN-H). The system's Active Pre-Heater (APH) features a new 2-piece, captive ferrule design. The system may be configured for a broad range of applications supported by UPLC optical detectors and mass detectors, with a choice of instrument control and data management software.

The following items are included as part of the core system:

- # ACQUITY UPLC H-Class bioQuaternary Solvent Manager (bioQSM) PLUS
- # ACQUITY UPLC H-Class bioSample Manager # FTN (bioSM-FTN-H) PLUS
- # Column Heater with biocompatible Active Pre-Heating (CH-A)
- # ACQUITY UPLC Solvent Tray Module
- # ACQUITY UPLC H-Class Bio System Start Up Kit
- # Leak Sensors
- # ACQUITY UPLC BEH C18 Column, 2.1 x 50mm, 1.7µm
- # ACQUITY UPLC Start-up Solution
- # Information Set
- # Vials
- # ACQUITY UPLC Systems Driver Pack 4 DP2018R1

3 176015028 ACQUITY UPLC TUV Detector

ACQUITY UPLC TUV Detector

The Waters ACQUITY UPLC Tunable UV (TUV) detector is a dual-wavelength Ultraviolet/Visible (UV/Vis) detector for use in the ACQUITY UPLC H-Class system. Optimized for Ultra Performance Liquid Chromatography, the TUV detector's innovative light-guided flow cell and low-noise electronics result in a detector that delivers the utmost in UPLC sensitivity.

Detector wavelength range is 190-700nm. Detector response is linear up to 2.5 AU; dynamic range extends to 4.0 AU. Either single or dual wavelength operating modes are supported. Wavelength spectral scanning, including automatic blank subtraction can be stored in memory. Wavelength ratios, with absorbance threshold control, may be utilized for real time peak purity assessment.

Access to detector status # wavelength, lamp on/off # and diagnostic information is supported through the ACQUITY UPLC System Instrument Console. Instrument communications with the host computer are through Ethernet communications protocols.

Lamp optimization software and low-noise electronics guarantee low noise performance in the visible wavelength range and compensates for lamp degradation over time to ensure consistent response. The combination of lamp optimization software and an automatic second order filter enables operation in the visible wavelength range without requiring a lamp change. The lamp is warranted for 2000 hours.

The 10mm analytical light-guided flow cell delivers sensitivity and resolution to ACQUITY UPLC applications. Low dispersion performance is achieved with a 500 nL internal volume and 62.5 µm PEEK interconnectinlet/outlet tubing.

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Detail Product Descriptions

Itm	Part No.	Description
4	176003208	ACQUITY QDa Detector (Performance) The ACQUITY QDa Detector is a mass detector designed as a synergistic element of a chromatographic separations system. Confirm compound identity with qualitative mass spectral data, complementing quantitative optical data. Quantify compounds with no UV response or at levels not accessible by optical detection. Compact for minimized lab space requirements. Integrated flow path for reduced dispersion. Adjustment-free atmospheric pressure ionisation (API) electrospray (ES) interface for reliability. Compatible with HPLC, UPLC, SFC and UPC2 flow rates of 50 ul/min # 2 ml/min. Disposable sample orifice for minimized maintenance and maximized repeatability. Positive and negative ion switching capability for enhanced compound coverage. Tool-free maintenance. Dual off-axis ion guides for elimination of neutral noise with increased sensitivity and robustness. Automated mass calibration and resolution verification for consistent data quality. Automatically-optimized single ion recording (SIR) and full scan (FS) analysis in m/z range 30-1250 for enhanced data acquisition. Orthogonal, in-vacuum Dynolite photomultiplier detector for stability, elimination of neutral noise and longevity. Clean, differentially pumped, automated vacuum system comprising air-cooled split flow turbomolecular drag pump (TMP) and rotary vane vacuum backing pump. Fail-safe operation for unattended analysis. Autosensing 100-240 V ac ((50/60 Hz). Performance option features extended linear dynamic range and lowered limit of detection. Integrated control & data processing with Empower 3, Empower 2 & MassLynx 4.1.
5	176004279	ACQUITY H-Class PLUS with QDa, Kit #1
6	700009641	ESI PROBE ASSEMBLY 250mm ESI Probe Assy, 250mm x 100um, ACQUITY
7	176003244	ISM & ACQUITY Splitter Kit For Quoting purposes only until release Oct 2013 ISM & ACQUITY Splitter Kit used to dilute sample flowing into a mass detector at a fixed split ratio; specifically designed for ACQUITY Systems
8	700002642	ACQUITY UPLC ABSORBANCE 10MM TEST SOL. ACQUITY UPLC / UV Qualification Standards Kit
9	176002203	Empower 3 Per Single System SW 5 Users Empower 3 Personal Single System Software Includes Empower 3 Base Software DVD, Empower 3 Bookshelf CD, Empower 3 Instrument Driver (ICS) Pack, Empower 3 Default Project CD, Personal Single System Base License (enables the base software, 5 users and 1 system license), Empower 3 License Management Read Me document, Empower 3 Release Notes, (Qty 1) 2 Port Instrument Control Card (NIC), (Qty 1) 8-Port Ethernet Network Switch, (Qty 4) Ethernet cables, 1-Year Personal

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

Detail Product Descriptions

Item	Part No.	Description
		Software Support Plan
10	741000472	QDa SYSTEM INSTALLATION CERT
11	750000529	On-Site MS/App Training -ROW (2 Days) On-Site MS/Application Training - ROW (2 Days)
12	750000833	Using ACQUITY QDa with Empower This course titled "Using ACQUITY QDa with Empower" is a 2 day classroom-based Customer Education course which includes a 1/2 day online eLearning prerequisite track, p/n 750002025 titled "ACQUITY QDa Introduction - eLearning PrerequisiteTrack". The eLearning track must be viewed prior to attending the classroom training course.
13	176015030	ACQUITY UPLC PDA eLambda Detector ACQUITY UPLC e»PDA Detector The ACQUITY UPLC Extended Wavelength Photodiode Array (PDAe») Detector is specifically designed to compliment the ACQUITY UPLC H-Class System. With noise specifications as low as 15 ¼AU, the ACQUITY UPLCPDA offers sensitivity across the full UV/Vis absorbance range, that is unmatched by any photodiode array detector on the market. Further, enhanced software control provides flexibility for simultaneous 2D and 3D operation in either Empower or MassLynx software. Detector wavelength range is 190-800 nm, with 1.2 nm spectral resolution. Detector response is linear with 5% ddeviation at 2.0 AU, Propylparaben at 257nm. Detector supports full three-dimensional spectral analysis or multi-wavelength operation (up to eight (8) wavelengths) under Empower Software control. Lamp optimization software guarantees low noise performance in the visible wavelength range and compensates for lamp degradation over time to ensure consistent response. The combination of lamp optimization software and an automatic second order filter enables operation in the linear wavelength range without requiring a lamp change. The lamp is warranted for 2000 hours. Results management features supported in Empower software include Spectrum Index Review, Spectral Contrast Peak Purity, Multi-Component Peak Purity, and Spectral Library Matching. Ideally suited for applications that monitor low UV and Visible wavelengths The 10mm analytical light-guided flow cell delivers sensitivity and resolution to ACQUITY UPLC applications. Low dispersion performance is achieved with a 500 nL internal volume and 62.5 ¼m PEEK interconnectinlet/outlet tubing.

Quotation

ACQ. UPLC H-Class PLUS Bio w/QDa/ISM Sys

General Sales Terms and Conditions

1. General
Waters Pacific Pte Ltd ("Seller") hereby agrees to sell the products to buy upon the terms and conditions set forth herewith. Seller shall not be bound by any standard or printed terms furnished by the Buyer in any of its documents, unless the Buyer specifically states in writing separately from such terms that it intends such terms to apply and the Seller acknowledges such notification in writing.
2. Price
 - a. Unless otherwise agreed at the time of sale, the price stated is ex-works and exclusive of Goods & Services Tax which shall be chargeable in addition upon supply of goods.
 - b. All quotations and estimates used by Seller are, unless otherwise stated, based on current costs and are subject to amendment on or after acceptance of order by Seller to meet any rise in such costs.
 - c. Any variation to prices quoted as a result of government taxes and levies will be for the Buyer's accounts.
 - d. Written quotations automatically expire 30 calendar days from the date issued and are subject to termination by notice within that period. All orders based on written quotations are subject to Seller's acceptance at its office in 1 Science Park Road #02-01 The Capricorn, Singapore Science Park II, Singapore 117528.
3. Delivery
 - a. Stock items are processed for prompt delivery. Whilst there is no minimum order value there is a minimum charge in respect of packing, handling and delivery. Details of these charges are available on request.
 - b. Notwithstanding that the Seller and the Buyer may agree to deliver the goods at some specified place the delivery of goods to a carrier for the purpose of transmission to the Buyer is deemed to be a delivery of the goods to the Buyer and risk in the goods shall pass accordingly at the moment of delivery to the carrier.
 - c. Inspection and testing and/or installation of the goods is not provided by Seller unless otherwise agreed at the time of sale.
 - d. Seller retains ownership of the goods the property in which shall not pass to Buyer and Buyer shall keep any goods delivered to it as bailee for and on behalf of Seller until Seller has received payment of the price of all the goods (whether or not the goods are delivered in instalments and some have been paid for by Buyer pursuant to these terms) and until such time the Buyer shall store the goods separately or in some other way ensure that the goods are readily identifiable as the property of Seller and at Seller's request either shall deliver up to the goods to Seller or shall permit Seller to enter Buyer's business or other premises to repossess the goods and subsequently re-sell them.
 - e. The provisions of this clause 3(d) shall survive the determination of the contract for whatever reason.
4. Payment
 - a. Payment terms are strictly Net Cash 30 days after delivery of the goods, provided Buyer's credit has been approved or specified in the quote. If the Buyer's credit had not been established with Seller, terms are payment in advance.
 - b. All payments made by Buyer shall be made without any deduction of deferment in respect of any disputes or claims whatsoever and/or in respect of any taxes imposed by or under the authority of any government or public authority.
 - c. Where Seller does not receive payment of any of its invoices within 30 days of the date thereof interest shall thereafter accrue on the sum due and owing to Seller at the rate of 2% per month calculated on a daily basis without prejudice to Seller's right to receive payment within such 30 day period.
 - d. Time for payment shall be of the essence.
5. Confidentiality/Intellectual Property
 - a. Any order received by Seller will be treated as confidential and will not be disclosed or publicised to any third party for any reason without the prior written consent of Buyer. Neither shall Seller use Buyer's name or other identify for advertising or publicity purposes without Buyer's prior written consent.
 - b. The sale of the goods by Seller to Buyer does not confer any right or license upon buyer to use, exploit or otherwise utilise any intellectual property rights subsisting in or relating to the goods of which Seller is a proprietor or to which Seller is otherwise entitled.
6. Specifications
The characteristics and specifications of Seller's products are documented in Seller's technical literature and are approximately only Seller reserves the right to change product specifications without prior notice.
7. Cancellation
An order accepted by Seller may be cancelled only before delivery of the goods and only with the consent of Seller upon terms that Buyer will indemnify Seller against any loss incurred.
8. Return
In no case are products to be returned without first obtaining the consent of the Seller. Only unused products as currently manufactured which have been invoiced by the Seller within 30 days will be considered for return. Products accepted for credit are subject to a 20 per cent service charge plus all transportation charges. Products built to order or not of the original manufacturer of the Seller are not subject to return for credit under any circumstances. Products must be securely packed to reach the Seller without damaged. No returns shall be authorised after 90 days following shipment to buyer.
9. Warranty
The Products and/or services shall be covered by the applicable Waters' standard warranty, a copy of which is supplied with the Products and/or services or upon request. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED, IS MADE WITH RESPECT TO THE PRODUCTS AND/OR SERVICES. WATERS EXPRESSLY EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. Any model or sample furnished to the Buyer is merely illustrative of the general types and quality of goods and does not represent that the Products will conform to Waters applicable standard warranty. WATERS SHALL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR ANY OTHER INDIRECT DAMAGES RESULTING FROM ECONOMIC LOSS OR PROPERTY DAMAGE SUSTAINED BY BUYER FROM THE USE OF ITS PRODUCTS OR SERVICES.
10. Termination
 - a. It prior to the delivery of the goods (or any instalment thereof) Seller has reason to believe that Buyer is unable to pay its debts or if Buyer enters into liquidation (other than for the purpose of effecting a reconstruction or amalgamation) whether compulsory or voluntary or compounds with or conveys a meeting of its creditors or has a receiver appointed over all or any part of its assets or takes or suffers any similar action in consequence of a debt or ceases for any reason to carry on business, Seller may terminate the contract by notice in writing to Buyer.
 - b. Termination of the contract pursuant to Clause 10(a) shall not effect the accrued rights of the parties arising in any way out of such contract as of the date of termination.
11. Variation
Neither Seller or Buyer shall be bound by any variation, waiver of or an addition to, those terms and conditions except as agreed by both parties in writing.
12. Time
Seller will endeavour to dispatch the products on the promised delivery date but does not guarantee to do so.
13. Force Majeure
Waters shall have no liability for failure to perform or delay in performance, in the delivery of any and all equipment manufactured or sold by Waters including instruments, supplies, components, systems, chemistry, accessories, replacement spare parts, or any and all services provided by Waters, caused by circumstances beyond its reasonable control including, but not limited to, acts of God, acts of nature, floods, fire, explosions, war or military mobilisation, United States governmental action or inaction, request of governmental authority, delays of any kind in transportation or inability to obtain material or equipment, acts of other governments, strikes or labour disturbances.
14. Law
The contract shall be deemed to have been made in Singapore and the Parties to the contract hereby submit to the jurisdiction of Singapore courts. Singapore law shall be the proper law of the contract.