

Customer:

Dr. Hao Lin
Nanyang Technological University
21, Nanyang Link
SPMS-CBC-01-08
Singapore 637371

Email : Haolin@ntu.edu.sg
Tel : 9789 8854

THIS IS A NON OFFICIAL QUOTATION

Waters Screening Platform Soln. w/UNIFI

Quotation No. 22517641 - Expiration Date : 25.02.2021

General information

285383/12004894

Provider:

Waters Pacific Pte Ltd
Joanna Ang
1 Science Park Road
#02-1/06 The Capricorn
Singapore Science Park II
Singapore 117528

Email : Joanna_Ang@Waters.com

Quotation number : 22517641
 Creation date : 25.01.2021
 Expiration date : 25.02.2021

Quotation

Waters Screening Platform Soln. w/UNIFI

Price Details in SGD

THIS IS A NON OFFICIAL QUOTATION

Itn	Part No.	Description	Unit Price	Qty	Gross Price	Disc %	Net Price
Waters Screening Platform Soln. w/UNIFI							
With the following configuration:							
1	176015109	ACQ. I-Class PLUS Sys. (CH-A) w/SM-FTN-I	128,200.00	1	128,200.00		128,200.00
2	176003484	Xevo G2-XS QToF 4k UNIFI	551,800.00	1	551,800.00		551,800.00
3	176002847	Oil-Less Vacuum Pump	15,400.00	1	15,400.00		15,400.00
4	176002513	MS Ref Stds: TOF G2-S MS Install	1,214.00	1	1,214.00		1,214.00
5	700004189	FLUIDICS TUBING AND FITTINGS	780.00	1	780.00		780.00
6	176002738	UNIFI Workstation Software	19,200.00	1	19,200.00		19,200.00
7	740004262	Maint 1Yr: UNIFI Workstation Software	3,500.00	1	3,500.00		3,500.00
8	667004656	UNIFI Workstation Small Molecule Option	24,100.00	1	24,100.00		24,100.00
9	176004244	Kit, Acc Mass Screening Library License	9,300.00	1	9,300.00		9,300.00
10	176004034	UNIFI/waters_connect workstation	9,100.00	1	9,100.00		9,100.00
11	668000249	Lenovo L1700P 17" LCD Business Black	540.00	1	540.00		540.00
12	176002866	Kit, Screening Application	2,650.00	1	2,650.00		2,650.00
13	176002908	Kit, Screening App Sol Installation	749.00	1	749.00		749.00
14	741000451	SCREENING PLATFORM INSTALL CERTIFICATE	32,100.00	1	32,100.00		32,100.00
15	750000608	Maintaining the ACQUITY I-Class System	1,400.00	1	1,400.00		1,400.00
16	750000644	XEVO G2-S QTOF Small Molecule Operation	6,200.00	1	6,200.00		6,200.00
17	750000839	4-day On-Site MS App Training w/eLearn	24,100.00	1	24,100.00		24,100.00
18	176003950	Analytical LC-MS Solvent Install Kit	2,677.00	1	2,677.00		2,677.00
19	186009340	Nitrogen Generator, Genius XE35, 230V	33,300.00	1	33,300.00		33,300.00
Total					866,310.00		866,310.00

Rounded by

-332,050.70

Total excluding GST

345,000.00

GST

7.00 %

8,767.55

Total

353,767.55

Quotation number : 22517641
Creation date : 25.01.2021
Expiration date : 25.02.2021

Quotation

Waters Screening Platform Soln. w/UNIFI

Price Details in **SGD**

THIS IS A NON OFFICIAL QUOTATION

Joanna Ang
Account Manager

William Chong
Sales Manager

Terms of Payment

30 Days - document date

Shipping Information

DDP

Quotation number : 22517641
Creation date : 25.01.2021
Expiration date : 25.02.2021

Quotation

Waters Screening Platform Soln. w/UNIFI

Optional Products

THIS IS A NON OFFICIAL QUOTATION

GST is not included in optional products' prices

Itn	Part No.	Description	Unit Price	Qty	Gross Price	Disc %	Net Price
20	176600010	FlexCHOICE™ Coverage for Waters Screening Platform Soln. w/UNIFI	144,880.00	1	144,880.00	-60.00%	57,952.00
21	176015026	ACQUITY UPLC PDA Detector	53,100.00	1	53,100.00	-60.00%	21,240.00
22	JWSG01235	N2PEAK 2PM SVC36M	17,400.00	1	17,400.00	-60.00%	6,960.00

Quotation

Waters Screening Platform Soln. w/UNIFI

Detail Product Descriptions

THIS IS A NON OFFICIAL QUOTATION

Itm	Part No.	Description
1	176015109	ACQ. I-Class PLUS Sys. (CH-A) w/SM-FTN-I ACQUITY UPLC I-Class PLUS Core System (CH-A) with SM-FTN-I The ACQUITY UPLC I-Class PLUS Core System has integrated solvent, sample and column heating configured for binary solvent delivery and sample introduction via a Flow-Through Needle sample manager (SM-FTN-I). The system may be configured with UV-based UPLC optical detectors and any currently supported Waters' mass detector, with a choice of instrument control and data management software. Replaces 176015069 The following items are included as part of the core system: • ACQUITY UPLC I-Class PLUS Binary Solvent Manager (BSM) • ACQUITY UPLC I-Class PLUS Sample Manager – Flow-Through-Needle (SM-FTN-I) configured with textured 15µL stainless steel needle • Column Heater with Active Pre-Heating (CH-A) configured with 0.003"/0.076 mm I.D. Active Solvent Pre-Heater • ACQUITY UPLC Solvent Tray Module • ACQUITY UPLC I-Class PLUS System Start Up Kit • Leak Sensors • ACQUITY UPLC Absorbance Start-Up Solution (700002669) • Information Set • ACQUITY UPLC BEH C18 Column, 2.1 x 50 mm, 1.7 µm • Vials
2	176003484	Xevo G2-XS QToF 4k UNIFI The Waters Xevo® G2-XS QToF is a high performance benchtop QToF mass spectrometer incorporating the XS Collision Cell for enhanced sensitivity and selectivity, resulting in the highest quality most comprehensive qualitative information together with the ultimate in quantitative performance. For the scientist who needs to identify, quantify and confirm the broadest range of compounds in the most complex and challenging samples, the Xevo® G2-XS QToF offers maximum robustness with no compromise in performance, class-leading real-world quantitative sensitivity, flexibility to adapt to changing needs, and is accessible to experts and non-experts alike. STEPWAVE™ ION OPTICS StepWave™ ion transfer optics dramatically increases the efficiency of ion transfer from the ion source to the MS analyser at the same time as efficiently eliminating undesirable neutral contaminants. This technology delivers unprecedented levels of robust, durable sensitivity. 2. INTELLISTART™ FLUIDICS The instrument is equipped with an on-board infusion system capable of delivering reference solutions from 3 built-in vial locations. The on-board fluidics system is controlled by the IntelliStart™ software to provide automated instrument setup and mass calibration. The reference solutions are delivered via switching valves for either direct or combined (into an LC flow) infusion into the ion source. The valves can

Quotation

Waters Screening Platform Soln. w/UNIFI

Detail Product Descriptions

THIS IS A NON OFFICIAL QUOTATION

Itm	Part No.	Description
-----	----------	-------------

in addition be programmed from the software to function as an LC flow divert. If required, the fluidics can be controlled manually via the System Console.

3. QUADRUPOLE ANALYSER

The instrument is equipped with a high performance quadrupole mass analyser. Pre-filters are fitted to the mass analyser to maximise resolution and transmission. The pre-filters also eliminate the need for cleaning of the quadrupole mass analyser. All lens and analyser voltages are digitally controlled. Analyser parameters may be programmed with respect to mass for optimal performance.

4. COLLISION CELL

The instrument is equipped with an XS Collision Cell where the collision energy is under programmable software control. The collision energy and collision gas pressure used during data acquisition are automatically recorded and appended to the relevant data file.

5. TOF ANALYSER

The instrument is equipped with a high performance oaToF mass analyser with a mass range up to m/z 100,000 and a resolving power of 40,000 FWHM.

6. VACUUM SYSTEM

The instrument is equipped with a differentially pumped, automated vacuum system comprising air-cooled turbomolecular pumps and one backing pump (either one rotary pump or one oil free pump). Vacuum read backs and system vent/pump cycles are digitally monitored and controlled, to provide total software control and ensure fail-safe operation in the event of power failure.

The backing option must be ordered separately (See Backing Pump Options for part numbers and descriptions)

LockSpray™ API interface...Dual orthogonal interface for robust LC/MS is included.

The standard system does not include the following items, which must be specified separately:

nanoLockSpray™ interface for nanoflow chromatography

Additional inlet probes and ion source options (detailed below).

Acquisition PC data system and monitor

Additional Workstation data system terminals.

Printers.

Vacuum backing pump options (rotary pump or oil-free pump)

HPLC systems or other inlet options.

3	176002847	Oil-Less Vacuum Pump
----------	------------------	-----------------------------

Quotation

Waters Screening Platform Soln. w/UNIFI

Detail Product Descriptions

THIS IS A NON OFFICIAL QUOTATION

Itm	Part No.	Description
4	176002513	MS Ref Stds: TOF G2-S MS Install
5	700004189	FLUIDICS TUBING AND FITTINGS Tubing and Fittings
6	176002738	UNIFI Workstation Software A UNIFI Personal Workstation Base Software kit includes an installation DVD, the UNIFI Personal Base Software License (which includes Five (5)-Named User Licenses), On-line Help, Installation and Configuration Guide, Upgrade and Configuration Guide, and the System Administrator's Guide.
7	740004262	Maint 1Yr: UNIFI Workstation Software
8	667004656	UNIFI Workstation Small Molecule Option A UNIFI Workstation Small Molecule Option includes the dealkylation tool, MassFragment™ Tool and the IsoScore™ Tool. This option is on a per-workstation basis.
9	176004244	Kit, Acc Mass Screening Library License
10	176004034	UNIFI/waters_connect workstation
11	668000249	Lenovo L1700P 17" LCD Business Black IBM 17" Flat Panel Monitor
12	176002866	Kit, Screening Application Screening Solution Application Kit The Screening Solution Application Kit contains the following items: • ACQUITY UPLC BEH C18 Column, 2.1 x 100mm, 1.7 µm • DisQuE AOAC QuEChERS Kit - Pouch Format

Quotation

Waters Screening Platform Soln. w/UNIFI

Detail Product Descriptions

THIS IS A NON OFFICIAL QUOTATION

Itm	Part No.	Description
-----	----------	-------------

- DisQuE CEN QuEChERS Kit - Pouch Format
- CH-A extension Kit H/I-Class for MS
- TruView LCMS vial slit PTFE/Sil Sep 100/
- Tubing Kit, black peek tubing (.004) x 35 cm length
- Screening Application Solution DVD

13	176002908	Kit, Screening App Sol Installation
-----------	------------------	--

Waters Screening Solution Installation Kit

The Kit contains the following items:

- 20 Compound Screening Standard
- Ammonium Acetate 1 M pH5
- Glassware Kit:
- Qty 10: 5.75 glass Pasteur Pipets
- Qty 2: 2-mm latex Pipet Bulb
- Qty 4: 10-mL Class A Volumetric Flask and Stoppers

14	741000451	SCREENING PLATFORM INSTALL CERTIFICATE
-----------	------------------	---

15	750000608	Maintaining the ACQUITY I-Class System
-----------	------------------	---

16	750000644	XEVO G2-S QTOF Small Molecule Operation
-----------	------------------	--

17	750000839	4-day On-Site MS App Training w/eLearn
-----------	------------------	---

18	176003950	Analytical LC-MS Solvent Install Kit
-----------	------------------	---

Analytical LC-MS Solvent Install Kit

The Analytical LC-MS Solvent Install Kit is intended to assist in effectively installing new LC-MS systems by minimizing sources of possible contamination. This kit includes the LC-MS Grade Solvent Kit (186008715) as well as the Waters Certified Container Kit (186007088). Additional kit components also include a formic acid additive, aqueous ammonia additive and nitrile gloves.

Note: Because this is a hazardous material and GHS requirements vary from country to country, Waters Corporation is only able to ship this item to specific countries worldwide. If the destination for this order (i.e. the ship to country) is changed to a non-permitted country at any point after this quote was generated, this item will be excluded from the final order.

19	186009340	Nitrogen Generator, Genius XE35, 230V
-----------	------------------	--

Quotation

Waters Screening Platform Soln. w/UNIFI

Detail Product Descriptions

THIS IS A NON OFFICIAL QUOTATION

Itm	Part No.	Description
20	176600010	FlexCHOICE™ Coverage for Waters Screening Platform Soln. w/UNIFI Seamless coverage for the 36 months No. of Performance Maintenance Visits: 2 Service Level: Standard Response Time: Standard Covered Modules: XEVOG2XSQT - XEVO G2-XS QTOF UPCHA - UPLC ACTIVE COL HEAT UPBSM+ - UPLC BSM PLUS UPISMFTN+ - UPLC I SM-FTN PLUS
21	176015026	ACQUITY UPLC PDA Detector The ACQUITY UPLC Photodiode Array (PDA) Detector is specifically designed to compliment the ACQUITY UPLC H-Class System. With noise specifications as low as 10 µAU, the ACQUITY UPLC PDA offers sensitivity that is unmatched by any photodiode array detector on the market. Further, enhanced software control provides flexibility for simultaneous 2D and 3D operation in either Empower or MassLynx software. Detector wavelength range is 190-500 nm, with 1.2 nm spectral resolution. Detector response is linear ($\leq 5\%$ at 2.0 AU) across the 2.0 AU dynamic range. Detector supports full three-dimensional spectral analysis or multi-wavelength operation (up to eight (8) wavelengths) under Empower Software control. Lamp optimization software guarantees low noise performance in the visible wavelength range and compensates for lamp degradation over time to ensure consistent response. The combination of lamp optimization software and an automatic second order filter enables operation in the linear wavelength range without requiring a lamp change. The lamp is warranted for 2000 hours. Results management features supported in Empower software include Spectrum Index Review, Spectral Contrast Peak Purity, Multi-Component Peak Purity, and Spectral Library Matching. The 10mm analytical light-guided flow cell delivers sensitivity and resolution to ACQUITY UPLC applications. Low dispersion performance is achieved with a 500 nL internal volume and 62.5 µm PEEK interconnect inlet/outlet tubing.

Quotation number : 22517641
Creation date : 25.01.2021
Expiration date : 25.02.2021

Quotation

Waters Screening Platform Soln. w/UNIFI

Detail Product Descriptions

THIS IS A NON OFFICIAL QUOTATION

Itm	Part No.	Description
22	JWSG01235	N2PEAK 2PM SVC36M

Quotation number : 22517641
Creation date : 25.01.2021
Expiration date : 25.02.2021

Quotation

Waters Screening Platform Soln. w/UNIFI

General Sales Terms and Conditions

1. General
Waters Pacific Pte Ltd ("Seller") hereby agrees to sell the products to buy upon the terms and conditions set forth herewith. Seller shall not be bound by any standard or printed terms furnished by the Buyer in any of its documents, unless the Buyer specifically states in writing separately from such terms that it intends such terms to apply and the Seller acknowledges such notification in writing.
2. Price
 - a. Unless otherwise agreed at the time of sale, the price stated is ex-works and exclusive of Goods & Services Tax which shall be chargeable in addition upon supply of goods.
 - b. All quotations and estimates used by Seller are, unless otherwise stated, based on current costs and are subject to amendment on or after acceptance of order by Seller to meet any rise in such costs.
 - c. Any variation to prices quoted as a result of government taxes and levies will be for the Buyer's accounts.
 - d. Written quotations automatically expire 30 calendar days from the date issued and are subject to termination by notice within that period. All orders based on written quotations are subject to Seller's acceptance at its office in 1 Science Park Road #02-01 The Capricorn, Singapore Science Park II, Singapore 117528.
3. Delivery
 - a. Stock items are processed for prompt delivery. Whilst there is no minimum order value there is a minimum charge in respect of packing, handling and delivery. Details of these charges are available on request.
 - b. Notwithstanding that the Seller and the Buyer may agree to deliver the goods at some specified place the delivery of goods to a carrier for the purpose of transmission to the Buyer is deemed to be a delivery of the goods to the Buyer and risk in the goods shall pass accordingly at the moment of delivery to the carrier.
 - c. Inspection and testing and/or installation of the goods is not provided by Seller unless otherwise agreed at the time of sale.
 - d. Seller retains ownership of the goods the property in which shall not pass to Buyer and Buyer shall keep any goods delivered to it as bailee for and on behalf of Seller until Seller has received payment of the price of all the goods (whether or not the goods are delivered in instalments and some have been paid for by Buyer pursuant to these terms) and until such time the Buyer shall store the goods separately or in some other way ensure that the goods are readily identifiable as the property of Seller and at Seller's request either shall deliver up to the goods to Seller or shall permit Seller to enter Buyer's business or other premises to repossess the goods and subsequently re-sell them.
 - e. The provisions of this clause 3(d) shall survive the determination of the contract for whatever reason.
4. Payment
 - a. Payment terms are strictly Net Cash 30 days after delivery of the goods, provided Buyer's credit has been approved or specified in the quote. If the Buyer's credit had not been established with Seller, terms are payment in advance.
 - b. All payments made by Buyer shall be made without any deduction of deferment in respect of any disputes or claims whatsoever and/or in respect of any taxes imposed by or under the authority of any government or public authority.
 - c. Where Seller does not receive payment of any of its invoices within 30 days of the date thereof interest shall thereafter accrue on the sum due and owing to Seller at the rate of 2% per month calculated on a daily basis without prejudice to Seller's right to receive payment within such 30 day period.
 - d. Time for payment shall be of the essence.
5. Confidentially/Intellectual Property
 - a. Any order received by Seller will be treated as confidential and will not be disclosed or publicised to any third party for any reason without the prior written consent of Buyer. Neither shall Seller use Buyer's name or other identify for advertising or publicity purposes without Buyer's prior written consent.
 - b. The sale of the goods by Seller to Buyer does not confer any right or license upon buyer to use, exploit or otherwise utilise any intellectual property rights subsisting in or relating to the goods of which Seller is a proprietor or to which Seller is otherwise entitled.
6. Specifications
The characteristics and specifications of Seller's products are documented in Seller's technical literature and are approximately only Seller reserves the right to change product specifications without prior notice.
7. Cancellation
An order accepted by Seller may be cancelled only before delivery of the goods and only with the consent of Seller upon terms that Buyer will indemnify Seller against any loss incurred.
8. Return
In no case are products to be returned without first obtaining the consent of the Seller. Only unused products as currently manufactured which have been invoiced by the Seller within 30 days will be considered for return. Products accepted for credit are subject to a 20 per cent service charge plus all transportation charges. Products built to order or not of the original manufacturer of the Seller are not subject to return for credit under any circumstances. Products must be securely packed to reach the Seller without damaged. No returns shall be authorised after 90 days following shipment to buyer.
9. Warranty
The Products and/or services shall be covered by the applicable Waters' standard warranty, a copy of which is supplied with the Products and/or services or upon request. NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED, IS MADE WITH RESPECT TO THE PRODUCTS AND/OR SERVICES. WATERS EXPRESSLY EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. Any model or sample furnished to the Buyer is merely illustrative of the general types and quality of goods and does not represent that the Products will conform to Waters applicable standard warranty. WATERS SHALL NOT BE LIABLE FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR ANY OTHER INDIRECT DAMAGES RESULTING FROM ECONOMIC LOSS OR PROPERTY DAMAGE SUSTAINED BY BUYER FROM THE USE OF ITS PRODUCTS OR SERVICES.
10. Termination
 - a. It prior to the delivery of the goods (or any instalment thereof) Seller has reason to believe that Buyer is unable to pay its debts or if Buyer enters into liquidation (other than for the purpose of effecting a reconstruction or amalgamation) whether compulsory or voluntary or compounds with or conveys a meeting of its creditors or has a receiver appointed over all or any part of its assets or takes or suffers any similar action in consequence of a debt or ceases for any reason to carry on business, Seller may terminate the contract by notice in writing to Buyer.
 - b. Termination of the contract pursuant to Clause 10(a) shall not effect the accrued rights of the parties arising in any way out of such contract as of the date of termination.
11. Variation
Neither Seller or Buyer shall be bound by any variation, waiver of or an addition to, those terms and conditions except as agreed by both parties in writing.
12. Time
Seller will endeavour to dispatch the products on the promised delivery date but does not guarantee to do so.
13. Force Majeure
Waters shall have no liability for failure to perform or delay in performance, in the delivery of any and all equipment manufactured or sold by Waters including instruments, supplies, components, systems, chemistry, accessories, replacement spare parts, or any and all services provided by Waters, caused by circumstances beyond its reasonable control including, but not limited to, acts of God, acts of nature, floods, fire, explosions, war or military mobilisation, United States governmental action or inaction, request of governmental authority, delays of any kind in transportation or inability to obtain material or equipment, acts of other governments, strikes or labour disturbances.
14. Law
The contract shall be deemed to have been made in Singapore and the Parties to the contract hereby submit to the jurisdiction of Singapore courts. Singapore law shall be the proper law of the contract.