

From: [Alan Tan](#)
To: [Edwin Koh](#)
Cc: [Ee Ling Lim](#); [HuaZhen Luo](#); [Bernice He](#)
Subject: RE: MSV pressure source - Request for CEA
Date: Thursday, 5 November, 2020 08:54:28
Attachments: [image001.png](#)

Hi EK

J	K
	Corp
CEA	WPPL20020
Account	170100

From: Edwin Koh <Edwin_Koh@waters.com>
Sent: Thursday, 5 November, 2020 07:40
To: Alan Tan <Alan_Tan@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>; Bernice He <Bernice_He@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi Alan,

Thanks for the approval but could you advise the CEA no#

Thanks

From: Alan Tan <Alan_Tan@waters.com>
Sent: Wednesday, November 4, 2020 16:15
To: Edwin Koh <Edwin_Koh@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>; Bernice He <Bernice_He@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi EK

Approved via email.

Hi EL – over to you

Rdgs

From: Edwin Koh <Edwin_Koh@waters.com>
Sent: Thursday, 29 October, 2020 08:04
To: Alan Tan <Alan_Tan@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi Alan,

There is a lead-time to purchase the equipment for calibration of the MSV. If we appropriate in Q1, we may not have enough lead-time to bring in the equipment and may affect PM. We need to do PM by Mar else MSV tester will be down.

Thanks
Edwin

From: Alan Tan <Alan_Tan@waters.com>
Sent: Monday, October 26, 2020 15:15
To: Edwin Koh <Edwin_Koh@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi
I meant to put this into Q1/2021 AOP Appropriation.
Rdgs

From: Edwin Koh <Edwin_Koh@waters.com>
Sent: Monday, 26 October, 2020 15:13
To: Alan Tan <Alan_Tan@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi Alan,

The appropriation is plan under Q4 and we have lead time to purchase these items so spending in Q1 2021 is correct.

Thanks
Edwin

From: Alan Tan <Alan_Tan@waters.com>
Sent: Monday, October 26, 2020 11:02
To: Edwin Koh <Edwin_Koh@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi Edwin
Since spending is in 2021, why not put this in 2021 budget?
Rdgs

From: Edwin Koh <Edwin_Koh@waters.com>
Sent: Thursday, 22 October, 2020 15:19
To: Alan Tan <Alan_Tan@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: MSV pressure source - Request for CEA

Hi Alan,

This is the MSV pressure source required for MSV tester calibration.
Could you please help provide the CEA no# to complete the appropriation.
The spending will be in Q1 2021.

Thanks

Edwin Koh

Senior Operations Manager

Waters Pacific Pte Ltd

phone +65 6593 7409 **Mobile** +65 9117 7881

web www.waters.com **email** edwin_koh@waters.com

1 Science Park Road #02-08 The Capricorn Singapore 117528