

From: [Joel Mamalateo Deduyo](#)
To: [HuaZhen Luo](#); [Natarajan Narayanan](#)
Cc: [Nallajanula Phani Bhushan](#); [Desmond Ann](#); [Edwin Koh](#)
Subject: [EXT] RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel
Date: Monday, 18 January, 2021 09:55:38
Attachments: [image004.png](#)
[image005.png](#)
[image014.png](#)
[image016.png](#)
[image017.png](#)

ATTENTION: This email originated from outside of the organization. Please do not open any attachments or click any links unless you recognize the sender and know the content is safe.

Hi Hua Zhen,

Yes, Flex will cover the cost of cabling

Best Regards,



Joel Mamalateo Deduyo

Senior Test Engineer

1 Kallang Place

Singapore 339211

direct: +65 6507 5982

mobile: +65 9685 8678

email: JoelMamalateo.Deduyo@flex.com

web: flex.com

From: HuaZhen Luo <HuaZhen_Luo@waters.com>

Sent: Monday, January 18, 2021 9:52 AM

To: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Desmond Ann <Desmond_Ann@waters.com>; Edwin Koh <Edwin_Koh@waters.com>

Subject: RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Joel/Natarajan,

I still don't see any acknowledgement regarding this cost for cabling. It should be part of your infrastructure upgrade, cost under Flex.

Please kindly confirm and acknowledge this email. Thanks

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044

[F] +65 6873 0820

[W] www.waters.com

[E] huazhen_luo@waters.com


THE SCIENCE OF
WHAT'S POSSIBLE.™

Waters Pacific Pte Ltd

1 Science Park Road

#02-08 The Capricorn

Singapore Science Park II

Singapore 117528



From: HuaZhen Luo

Sent: Tuesday, 5 January, 2021 11:16

To: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Desmond Ann <Desmond_Ann@waters.com>; Edwin Koh <Edwin_Koh@waters.com>

Subject: RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Joel,

Please kindly acknowledge that Flex will take care of cost for this cabling as it's a part of infrastructure upgrade at Flex.

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huazhen_luo@waters.com



Waters
THE SCIENCE OF
WHAT'S POSSIBLE.™

Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>

Sent: Thursday, 24 December, 2020 13:50

To: HuaZhen Luo <HuaZhen_Luo@waters.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>; Hui Jiunn Jye <jiunnjye.hui@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>; Yeu Lee Teh <yeulee.teh@flex.com>; Kee David <kee.david@flex.com>; Gary Lai Yam Bee <yambeegary.lai@flex.com>

Subject: [EXT] RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

ATTENTION: This email originated from outside of the organization. Please do not open any attachments or click any links unless you recognize the sender and know the content is safe.

Hi Hua Zhen,

Pls. refer to attached quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel.

Best Regards,



Joel Mamalateo Deduyo

Senior Test Engineer

1 Kallang Place
Singapore 339211

direct: +65 6507 5982

mobile: +65 9685 8678

email: JoelMamalateo.Deduyo@flex.com

web: flex.com

From: HuaZhen Luo <HuaZhen_Luo@waters.com>

Sent: Wednesday, December 23, 2020 10:12 AM

To: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>; Hui Jiunn Jye <jiunnjye.hui@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>; Yeu Lee Teh <yeulee.teh@flex.com>; Kee David <kee.david@flex.com>; Gary Lai Yam Bee <yambeegary.lai@flex.com>

Subject: RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Joel,

Any update for this cabling? I need a confirmation to proceed with our capax for this upgrade. Please get back to me ASAP.

Thank you

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044

[F] +65 6873 0820

[W] www.waters.com

[E] huazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: HuaZhen Luo

Sent: Tuesday, 22 December, 2020 10:01

To: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>; Hui Jiunn Jye <jiunnjye.hui@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>; Yeu Lee Teh <yeulee.teh@flex.com>; Kee David <kee.david@flex.com>; Gary Lai Yam Bee <yambeegary.lai@flex.com>

Subject: RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Joel,

Correction, the patch panel would be part of cabling. It shouldn't be separately provided. So Waters will provide the new 48 port switch only.

Thanks

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: HuaZhen Luo

Sent: Tuesday, 22 December, 2020 09:41

To: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>; Hui Jiunn Jye <jiunnjye.hui@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>; Yeu Lee Teh <yeulee.teh@flex.com>; Kee David <kee.david@flex.com>; Gary Lai Yam Bee <yambeegary.lai@flex.com>

Subject: RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Joel,

I was informed the cable (Cat6a) would be under Flex infrastructure cost for Waters production. Flex would be responsible to get ready of cables for this upgrade by Jan 2021. Waters will provide new switch and it's patch panel inside the server rack for upgrade.

Please kindly update us ASAP once your cables are ready for this installation. Thanks

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528



From: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>
Sent: Tuesday, 22 December, 2020 09:12
To: HuaZhen Luo <HuaZhen_Luo@waters.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>; Hui Jiunn Jye <jiunnjye.hui@flex.com>
Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>; Yeu Lee Teh <yeulee.teh@flex.com>; Kee David <kee.david@flex.com>; Gary Lai Yam Bee <yambeegary.lai@flex.com>
Subject: [EXT] RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

ATTENTION: This email originated from outside of the organization. Please do not open any attachments or click any links unless you recognize the sender and know the content is safe.

Hi Hua Zhen,

As confirmed from our con-call today, you need only 24 drop points (Cat6) on top of existing 24 drop point 24 as well as patch panel with installation. I will check with our vendor for quotation.

Best Regards,

flex

Joel Mamalateo Deduyo

Senior Test Engineer

1 Kallang Place
Singapore 339211

direct: +65 6507 5982

mobile: +65 9685 8678

email: JoelMamalateo.Deduyo@flex.com

web: flex.com

From: Joel Mamalateo Deduyo
Sent: Monday, December 21, 2020 4:58 PM
To: HuaZhen Luo <HuaZhen_Luo@waters.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>; Hui Jiunn Jye <jiunnjye.hui@flex.com>
Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>; Yeu Lee Teh <yeulee.teh@flex.com>
Subject: RE: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Hua Zhen,

We will get our contractor for the quotation and submit to you once available.

Best Regards,



Joel Mamalateo Deduyo

Senior Test Engineer

1 Kallang Place

Singapore 339211

direct: +65 6507 5982

mobile: +65 9685 8678

email: JoelMamalateo.Deduyo@flex.com

web: flex.com

From: HuaZhen Luo <HuaZhen_Luo@waters.com>

Sent: Monday, December 21, 2020 2:04 PM

To: Joel Mamalateo Deduyo <joelmamalateo.deduyo@flex.com>; Natarajan Narayanan <natarajan.narayanan@flex.com>

Cc: Nallajanula Phani Bhushan <phanibhushan.nallajanula@flex.com>; Chin Ping Chong <Chin_Ping_Chong@waters.com>; David Moss <David_Moss@waters.com>; Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>

Subject: Quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel

Hi Joel,

Please kindly get a quotation for cabling (Cat6a) from server rack to new testers PCs and new Cat6a patch panel.

We're going to replace this old switch with new 1000Mbps CISCO 48 port switch to support new product transfer (Arc FTM) by Jan 2021. So please get this quotation ASAP and send it to us for review.

Thank you

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044

[F] +65 6873 0820

[W] www.waters.com

[E] huazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: Chin Ping Chong <Chin_Ping_Chong@waters.com>

Sent: Monday, 21 December, 2020 11:41

To: David Moss <David_Moss@waters.com>

Cc: Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>;

HuaZhen Luo <HuaZhen_Luo@waters.com>

Subject: RE: Product Transfer to Flex in Q1

Hi David,

Does the existing Cat5 or 5e cable work with new Cisco switches if we replace the old switches?

Hi Hua Zhen,

As discussed, pls ask Flex to get a quotation for items below.

1. Total number of data points needed from your side.
2. Cabling (Cat6a) from server rack to new tester PCs.
3. New Cat6a patch panel.

CP

From: HuaZhen Luo <HuaZhen_Luo@waters.com>

Sent: Friday, December 18, 2020 17:55

To: Chin Ping Chong <Chin_Ping_Chong@waters.com>

Cc: Edwin Koh <Edwin_Koh@waters.com>; Desmond Ann <Desmond_Ann@waters.com>

Subject: FW: Product Transfer to Flex in Q1

Hi Chin Ping,

Would you please kindly help to get a quotation for Cat6a cables? We may need additional 24 cables on top of existing 24 cables. Thanks

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huazhen_luo@waters.com



Waters
THE SCIENCE OF
WHAT'S POSSIBLE.™

Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

The information in this email is confidential, and is intended solely for the addressee(s). Access to this email by anyone else is unauthorized and therefore prohibited. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited and may be unlawful.

Legal Disclaimer :

The information contained in this message may be privileged and confidential. It is intended to be read only by the individual or entity to whom it is addressed or by their designee. If the reader of this message is not the intended recipient, you are on notice that any distribution of this message, in any form, is strictly prohibited. If you have received this message in error, please immediately notify the sender and delete or destroy any copy of this message!