

From: [Edwin Koh](#)
To: [HuaZhen Luo](#)
Cc: [Alan Tan](#); [Christine Zhao](#); [Sue Jin Ng](#)
Subject: RE: MSV pressure source - Request for CEA
Date: Monday, 14 December, 2020 17:19:22
Attachments: [WPPL-OP-082 MSV pressure source for MSV Tester PM for approval.pdf](#)
[image004.png](#)

Hi Huazhen,

Approved per request

Thanks

Edwin

From: HuaZhen Luo <HuaZhen_Luo@waters.com>
Sent: Monday, December 14, 2020 17:15
To: Edwin Koh <Edwin_Koh@waters.com>
Cc: Alan Tan <Alan_Tan@waters.com>; Christine Zhao <Christine_Zhao@waters.com>; Sue Jin Ng <Sue_Jin_Ng@waters.com>
Subject: FW: MSV pressure source - Request for CEA

Hi Edwin,

As per discussion just now, please kindly approve this PO.
I will arrange with supplier to ship item to us in Jan-Feb 2021.
Thank you

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huaazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: Alan Tan <Alan_Tan@waters.com>
Sent: Monday, 23 November, 2020 13:43
To: HuaZhen Luo <HuaZhen_Luo@waters.com>; Edwin Koh <Edwin_Koh@waters.com>
Cc: Christine Zhao <Christine_Zhao@waters.com>; Sue Jin Ng <Sue_Jin_Ng@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Approved
rdgs

From: HuaZhen Luo <HuaZhen_Luo@waters.com>
Sent: Monday, 23 November, 2020 13:41
To: Edwin Koh <Edwin_Koh@waters.com>; Alan Tan <Alan_Tan@waters.com>

Cc: Christine Zhao <Christine_Zhao@waters.com>; Sue Jin Ng <Sue_Jin_Ng@waters.com>

Subject: RE: MSV pressure source - Request for CEA

Hi Edwin and Alan,

Please kindly review and approve this PO WPPL-OP-082 under CEA WPPL20020 as attached. Realized that previous approval was for CEA only, we need your approval for this PO under WPPL20020 too.

Thank you

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: HuaZhen Luo

Sent: Thursday, 5 November, 2020 09:50

To: Edwin Koh <Edwin_Koh@waters.com>

Subject: RE: MSV pressure source - Request for CEA

Hi Edwin,

Please kindly review and approve this PO for MSV Pressure Source with Meter. Thanks

Luo HuaZhen
Senior Test Engineer

[T] +65 6593 7044
[F] +65 6873 0820
[W] www.waters.com
[E] huazhen_luo@waters.com



Waters Pacific Pte Ltd
1 Science Park Road
#02-08 The Capricorn
Singapore Science Park II
Singapore 117528

From: Edwin Koh <Edwin_Koh@waters.com>

Sent: Thursday, 5 November, 2020 08:28

To: HuaZhen Luo <HuaZhen_Luo@waters.com>

Subject: FW: MSV pressure source - Request for CEA

Hi Huazhen,

Please raised the POs and sent back to me

Thanks

From: Ee Ling Lim <ee_ling_lim@waters.com>
Sent: Wednesday, November 4, 2020 16:59
To: Alan Tan <Alan_Tan@waters.com>; Edwin Koh <Edwin_Koh@waters.com>
Cc: HuaZhen Luo <HuaZhen_Luo@waters.com>; Bernice He <Bernice_He@waters.com>
Subject: Re: MSV pressure source - Request for CEA

Hi Alan, approved.

Get [Outlook for iOS](#)

From: Alan Tan <Alan_Tan@waters.com>
Sent: Wednesday, November 4, 2020 4:15:17 PM
To: Edwin Koh <Edwin_Koh@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>; Bernice He <Bernice_He@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi EK

Approved via email.

Hi EL – over to you

Rdgs

From: Edwin Koh <Edwin_Koh@waters.com>
Sent: Thursday, 29 October, 2020 08:04
To: Alan Tan <Alan_Tan@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi Alan,

There is a lead-time to purchase the equipment for calibration of the MSV. If we appropriate in Q1, we may not have enough lead-time to bring in the equipment and may affect PM. We need to do PM by Mar else MSV tester will be down.

Thanks

Edwin

From: Alan Tan <Alan_Tan@waters.com>
Sent: Monday, October 26, 2020 15:15
To: Edwin Koh <Edwin_Koh@waters.com>
Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>
Subject: RE: MSV pressure source - Request for CEA

Hi

I meant to put this into Q1/2021 AOP Appropriation.

Rdgs

From: Edwin Koh <Edwin_Koh@waters.com>

Sent: Monday, 26 October, 2020 15:13

To: Alan Tan <Alan_Tan@waters.com>

Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>

Subject: RE: MSV pressure source - Request for CEA

Hi Alan,

The appropriation is plan under Q4 and we have lead time to purchase these items so spending in Q1 2021 is correct.

Thanks

Edwin

From: Alan Tan <Alan_Tan@waters.com>

Sent: Monday, October 26, 2020 11:02

To: Edwin Koh <Edwin_Koh@waters.com>

Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>

Subject: RE: MSV pressure source - Request for CEA

Hi Edwin

Since spending is in 2021, why not put this in 2021 budget?

Rdgs

From: Edwin Koh <Edwin_Koh@waters.com>

Sent: Thursday, 22 October, 2020 15:19

To: Alan Tan <Alan_Tan@waters.com>

Cc: Ee Ling Lim <ee_ling_lim@waters.com>; HuaZhen Luo <HuaZhen_Luo@waters.com>

Subject: MSV pressure source - Request for CEA

Hi Alan,

This is the MSV pressure source required for MSV tester calibration.

Could you please help provide the CEA no# to complete the appropriation.

The spending will be in Q1 2021.

Thanks

Edwin Koh

Senior Operations Manager

Waters Pacific Pte Ltd

phone +65 6593 7409 **Mobile** +65 9117 7881

web www.waters.com **email** edwin_koh@waters.com

1 Science Park Road #02-08 The Capricorn Singapore
117528

